


Centerline, Inc.
513 E. Wisconsin Avenue
Appleton, WI 54911
Phone (920) 730-0615
Fax (920) 730-0622
E-mail info@ctrline.net
Website www.ctrline.net



PULLALIGN® Lite 2

The efficient and quick method to align your pulleys.
It's so easy, everyone can do it.



- Highly visible green laser
- Adjustable magnetic targets
- Displays offset and angular misalignment
- Increases belt, pulley and bearing-life
- Decreases belt noise and vibration

PULLALIGN® Lite 2

Small device, big impact

Precisely aligned belt driven machines save energy, and wear and thus decrease costs. With the new PULLALIGN Lite 2 pulley driven machines can easily be aligned by anyone, without training.

Set up the new green PULLALIGN Lite 2 laser and install the three adjustable magnetic targets. The laser beam mounted on the pulley projects a virtual plane onto the targets, which are mounted on the opposite pulley.

The misaligned pulley can easily be aligned by adjusting the machine until the green laser beam hits into the middle of all three targets; confirming that both offset and angle of the pulley driven machine have been aligned.

The green laser beam increases visibility in brightly lit machine halls or outdoor in strong sunlight.

Technical data Laser

Accuracy	0,2°
Laser wavelength	505 – 535 nm
Output power	<1 mW
Classification	CLASS 2
Laser line length	7 m at 5 m distance [23 ft at 16 ½ ft distance]
Measuring distance	10 m [33 ft] between laser & targets
Operating time	17 hours
Battery type	4x AAA alkaline batteries
Operating temperature	-5°C to 40°C [23° F to 104° F]
Storage temperature	-10°C to 70°C [14° F to 158° F]
Weight	320g w/batteries [11,3 oz]
Dimensions	37 mm x 40 mm x 170 mm [1 ½" x 1 9/16" x 6 11/16"]
Housing	anodized Aluminum

Technical data Targets

Quantity	3
Size (height):	45 mm [1 ¾"]
Weight	3 x 35g [3 x 1,2 oz]
Housing	anodized Aluminum



PULLALIGN® is a registered trademark of PRÜFTECHNIK Dieter Busch AG. No copying or reproduction of this information, in any form whatsoever, may be undertaken without express written permission of PRÜFTECHNIK Dieter Busch AG. The information contained in this leaflet is subject to change without further notice due to the PRÜFTECHNIK policy of continuous product development. PRÜFTECHNIK products are subject to patents granted or pending throughout the world. © Copyright 2017 by PRÜFTECHNIK Dieter Busch AG.

USA
PRUFTECHNIK Inc.
7821 Bartram Ave.
Philadelphia, PA 19153
Toll free: +1 844 242-6296
Fax: +1 215 893-3902
usa@pruftechnik.com
www.pruftechnik.com

Canada
PRUFTECHNIK
4406, rue Louis-B.-Mayer
Laval, QC H7P 0G1
Tel: +1 514 738-6565
Fax: +1 514 227-5455
info@pruftechnik.ca
www.pruftechnik.ca



PRÜFTECHNIK Condition Monitoring GmbH
Oskar-Messter-Str. 19-21
85737 Ismaning, Germany
Tel.: +49 89 99616-0
Fax: +49 89 99616-200
info@pruftechnik.com
www.pruftechnik.com

A member of the PRUFTECHNIK group