

XTREME
PERFORMANCE
GEAR

XPG

XTREME
PERFORMANCE
GEAR

XPG



XTREME PERFORMANCE GEAR

XPG is committed to developing products that help users achieve extreme performance; therefore, it works closely with the gaming and Esports community to gather insight on the real needs of users, and incorporate them into its hardware. Beyond performance, every XPG product surpasses the stringent A+ testing methodology, which ensures the highest standards of stability and reliability.



SYMBOLIZING EXTREME PERFORMANCE

Besides the XPG logo, all XPG products feature a brand symbol that is a visual representation of extreme performance. The circular contour of the symbol denotes the shape of a star, a luminous spheroid of plasma that possesses raw, unharnessed power and energy. Meanwhile the saw-blade-like vortex pattern signifies an engine that is able to harvest, control, and concentrate that power and energy.

VISION



To become the preferred choice of gamers that seek extreme performance, whether casual or professional.

MISSION



XPG is committed to providing superior, high-performance, and reliable gaming hardware to ensure the best gaming experiences.



2008

XPG was established

2009

Taiwan Excellence Awards

XPG DDR3-2133X v2.0 triple-channel module and 3.5" dual-channel external SSD

World Record

XPG DDR3-2133X v2.0 triple-channel breaks SuperPi 32m world record

2010

iF Design Award China

XPG Plus Series v2.0 memory

2014

Good Design Award

XPG Z1 DDR4 memory

2015

Taiwan Excellence Gold Award

XPG Z1 DDR4 memory

Sponsorship of Esports Team

ompLexity

orld Record

XPG overclocks Z2 DDR4 memory to 4222MHz

2016

UK's Largest Esports Event

XPG takes part in INSOMNIA

2017

Cooperation with Esports Team

ahq esports club

Taiwan Excellence Awards

SPECTRIX D40 RGB memory

EMIX H30 headset + SOLOX F30 amplifier

GAMMIX S10 SSD

Taiwan Information Month Innovation Award

EMIX H30 headset + SOLOX F30 amplifier

2018

World Record

XPG SPECTRIX D80 breaks a new record at 5531MHz in an LN2 configuration

Partnership with Esports Team

Flash Wolves

leSF World Championship - Official Partner

leSF World Championship 2018 in Kaohsiung

Establishes XPG Over Clocking Lab

The world's first facility dedicated to memory over clocking

2019

iF Design Award

XPG SPECTRIX D80 DDR4 hybrid-cooled memory

Red Dot Design Award


XPG SPECTRIX D80 DDR4 hybrid-cooled memory

XPG DRAM

GAME TO THE XTREME

LIGHT UP THE
BATTLEFIELD


SPECTRIX D60G
DDR4 RGB MEMORY MODULE



STYLISH
DIAMOND-CUT DESIGN

CUSTOMIZABLE
RGB LIGHTING

HIGH-PERFORMANCE SPEEDS
3000-4133 MHz




SUPPORTS
INTEL® & AMD PLATFORMS
INTEL® XMP 2.0

SPEED / LATENCY / VOLTAGE
DDR4 3000 CL 16-18-18 AT 1.35V
DDR4 3200 CL 16-18-18 AT 1.35V
DDR4 3600 CL 17-18-18 AT 1.35V
DDR4 4133 CL 19-19-19 AT 1.4V

MODULE SIZE
8GB

DIMENSIONS
L x W x H 133.35 X 45.96 X 8.0 mm

MEMORY



STUNNING PERFORMANCE AND FLAIR

SPECTRIX D41
DDR4 RGB MEMORY MODULE



NEXT GENERATION COOL

SPECTRIX D80
DDR4 HYBRID-COOLED MEMORY MODULE



STYLISH
ARMOR-INSPIRED HEATSINK

CUSTOMIZABLE
RGB LIGHTING

HIGH-PERFORMANCE SPEEDS
2666-4133 MHz

INNOVATIVE
HYBRID-COOLED

CUSTOMIZABLE
RGB LIGHTING

HIGH-PERFORMANCE SPEEDS
2666-4133 MHz

SUPPORTS
INTEL® X299 & AMD AM4 PLATFORMS
INTEL® XMP 2.0

SPEED / LATENCY / VOLTAGE
DDR4 3000 CL 16 - 18 - 18 AT 1.35V
DDR4 3200 CL 16 - 18 - 18 AT 1.35V
DDR4 3600 CL 17 - 18 - 18 AT 1.35V
DDR4 4133 CL 19 - 19 - 19 AT 1.4V

MODULE SIZE
8 / 16GB

DIMENSIONS
L x W x H 133.3 x 45.8 x 8.0 mm



SUPPORTS
INTEL® X299 & AMD AM4 PLATFORMS
INTEL® XMP 2.0

SPEED / LATENCY / VOLTAGE
DDR4 3000 CL 16 - 18 - 18 AT 1.35V
DDR4 3200 CL 16 - 18 - 18 AT 1.35V
DDR4 3600 CL 17 - 18 - 18 AT 1.35V
DDR4 4133 CL 19 - 19 - 19 AT 1.4V

MODULE SIZE
8 / 16GB

DIMENSIONS
L x W x H 138 x 46.65 x 8.8 mm

GAMMIX D30

DDR4 MEMORY MODULE



STYLISH WING-SHAPED DESIGN	HIGH-PERFORMANCE SPEEDS 2666-3600 MHz	EASY OVERCLOCKING INTEL® XMP 2.0
----------------------------------	---	-------------------------------------

SUPPORTS
INTEL® X299 & AM4 PLATFORMS

SPEED / LATENCY / VOLTAGE
DDR4 2666 CL 16 - 18 - 18 AT 1.2V
DDR4 3000 CL 16 - 18 - 18 AT 1.35V
DDR4 3200 CL 16 - 18 - 18 AT 1.35V
DDR4 3600 CL 18 - 19 - 19 AT 1.35V

MODULE SIZE
8 / 16GB
DIMENSIONS
L x W x H 133.3 x 44.7 x 8.1 mm

FLAME U-DIMM

DDR4 MEMORY MODULE



STYLISH CLEAN-CUT DESIGN	HIGH-PERFORMANCE SPEEDS 2400 - 3000MHz	EASY OVERCLOCKING* INTEL® XMP 2.0
-----------------------------	---	--------------------------------------

SPEED / LATENCY / VOLTAGE
DDR4 2400 CL 16 - 16 - 16 AT 1.2V
DDR4 2666 CL 16 - 18 - 18 AT 1.2V
DDR4 3000 CL 16 - 18 - 18 AT 1.35V

MODULE SIZE
8 / 16GB

DIMENSIONS
L x W x H 133 x 33 x 7.5 mm

GAMMIX D10

DDR4 MEMORY MODULE

SUPPORTS
INTEL® X299 & AMD AM4 PLATFORMS

SPEED / LATENCY / VOLTAGE
DDR4 2666 CL 16 - 18 - 18 AT 1.2V
DDR4 3000 CL 16 - 18 - 18 AT 1.35V
DDR4 3200 CL 16 - 18 - 18 AT 1.35V

MODULE SIZE
8 / 16GB

DIMENSIONS
L x W x H 133 x 36 x 7.5 mm



STYLISH SERRATED FIN DESIGN	HIGH-PERFORMANCE SPEEDS 2666-3200 MHz	EASY OVERCLOCKING INTEL® XMP 2.0
-----------------------------------	---	-------------------------------------

FLAME SO-DIMM

DDR4 MEMORY MODULE

SUITABLE FOR GAMING LAPTOP &
SMALL-FORM-FACTOR PC

SPEED / LATENCY / VOLTAGE
DDR4 2666 CL 18 - 18 - 18 AT 1.2V

MODULE SIZE
8 / 16GB

DIMENSIONS
L x W x H 69.5 x 33 x 7.5 mm



STYLISH CLEAN - CUT DESIGN	HIGH-PERFORMANCE SPEEDS 2666 MHz	EASY OVERCLOCKING INTEL® XMP 2.0
----------------------------------	-------------------------------------	-------------------------------------

XPG SSD

GAME TO THE XTREME

SHINE IN
FULL GLORY

SPECTRIX S40G

PCIe GEN3X4 M.2 2280



READ SPEED
3500 MB/s

WRITE SPEED
3000 MB/s

CUSTOMIZABLE
RGB LIGHTING



CAPACITY
256GB / 512GB / 1TB

NAND FLASH
3D TLC

4K RANDOM SPEEDS
300K / 240K IOPS

SUPPORTS
LDPC ERROR CORRECTING CODE TECHNOLOGY

DIMENSIONS
22 X 80 X 8 mm

SSD

REMAINS COOL AT BLAZING SPEEDS



GAMMIX S11 PRO

PCIe GEN3X4 M.2 2280

READ SPEED
3500 MB/s

WRITE SPEED
3000 MB/s

NAND FLASH
3D TLC

HEATSINK REDUCES SSD TEMPERATURES BY UP TO 10°C

FOR DESKTOP PC

PROVIDED WITH A 5-YEAR WARRANTY

HIGH-END
GAMMIX S11 Pro
R/W SPEEDS 3500 / 3000 MB/s

MAINSTREAM
GAMMIX S5
R/W SPEEDS 2100 / 1500 MB/s

※FOR THE SPECIFIC WARRANTY PERIOD
PLEASE REFER TO THE OFFICIAL XPG WEBSITE



UNIQUE HEATSINK
UP TO 10°C COOLER THAN OTHER SSDs

CAPACITY
256GB / 512GB / 1TB

4K RANDOM SPEEDS
390K / 380K IOPS

SUPPORTS
LDPC ERROR CORRECTING CODE TECHNOLOGY

DIMENSIONS
L x W x H 22 x 80 x 6.1 mm



GAMMIX S5

PCIe GEN3X4 M.2 2280

UNIQUE HEATSINK
UP TO 10°C COOLER THAN OTHER SSDs

CAPACITY
256GB / 512GB / 1TB

4K RANDOM SPEEDS
250K/240K IOPS

SUPPORTS
LDPC ERROR CORRECTING CODE TECHNOLOGY

DIMENSIONS
L x W x H 22 x 80 x 3.7 mm



READ SPEED
2100 MB/s

WRITE SPEED
1500 MB/s

NAND FLASH
3D TLC

A SLEEK BLACK XPG HEATSINK

FOR DESKTOP PC & LAPTOP

PROVIDED WITH A 5-YEAR WARRANTY

HIGH-END
SX8200 Pro
R/W SPEEDS 3500 / 3000 MB/s

MAINSTREAM
SX6000 Pro
R/W SPEEDS 2100 / 1500 MB/s

MAINSTREAM
SX6000Lite
R/W SPEEDS 1800/1200 MB/s

※ FOR THE SPECIFIC WARRANTY PERIOD
PLEASE REFER TO THE OFFICIAL XPG WEBSITE



SX6000 PRO

PCIe GEN3X4 M.2 2280

CAPACITY
256GB / 512GB / 1TB

4K RANDOM SPEEDS
250K / 240K IOPS

SUPPORTS
LDPC ERROR CORRECTING CODE TECHNOLOGY

DIMENSIONS
L x W x H 22 x 80 x 2.15 mm



READ SPEED	WRITE SPEED	NAND FLASH
2100 MB/s	1500 MB/s	3D TLC

SX8200 PRO

PCIe GEN3X4 M.2 2280

CAPACITY
256GB / 512GB / 1TB / 2TB

4K RANDOM SPEEDS
390K / 380K IOPS

SUPPORTS
LDPC ERROR CORRECTING CODE TECHNOLOGY
END-TO-END (E2E) DATA PROTECTION

DIMENSIONS
L x W x H 22 x 80 x 3.5 mm



READ SPEED	WRITE SPEED	NAND FLASH
3500 MB/s	3000 MB/s	3D TLC

SX6000 LITE

PCIe GEN3X4 M.2 2280

CAPACITY
128GB / 256GB / 512GB / 1TB

4K RANDOM SPEEDS
220K /200K IOPS

SUPPORTS
LDPC ERROR CORRECTING CODE TECHNOLOGY

DIMENSIONS
L x W x H 22 x 80 x 2.15 mm



READ SPEED	WRITE SPEED	NAND FLASH
1800 MB/s	1200 MB/s	3D NAND

XPG COMPONENT

GAME TO THE XTREME



XPG BATTLECRUISER

PC CHASSIS

4 X 120MM ARGB SILENT FANS

MASSIVE COOLING POTENTIAL

ADVANCE USB 3.1 TYPE-C

SUPPORTS UP TO E-ATX M/B

SUPPORT UP TO 8 HDD/SSD

ATTRACTIVE LOOK
4 SIDES GLASS
PANEL

VERSATILE DESIGN
TOOL-LESS &
MODULAR

LIGHTING
PRIME ARGB
CONTROLLER

XPG INVADER

PC CHASSIS

2 X 120MM SILENT FANS

MASSIVE COOLING POTENTIAL

SUPPORT 400MM GRAPHIC CARDS

SUPPORTS UP TO ATX M/B



ATTRACTIVE LOOK
METALIC BEZEL & SIDE
GLASS PANEL

VERSATILE DESIGN
TOOL-LESS &
MODULAR

LIGHTING
PRIME ARGB
CONTROLLER

COMPONENT

XPG LEVANTE

COOLER



ADVANCED DUAL 120MM FAN
240MM ALL ALUMINUM RADIATOR
THERMALLY OPTIMIZED COPPER PLATE
HIGH QUALITY LOW-NOISE PUMP
HASSLE-FREE INSTALLATION

ALL-IN-ONE COOLING
COMBINING
WATER BLOCK,
PUMP & RADIATOR

HIGHLY COMPATIBLE
SUPPORT INTEL®
& AMD

CUSTOMIZABLE
ARGB LIGHTING

XPG PERIPHERAL

GAME TO THE XTREME

XPG CORE REACTOR

PSU

COMPACT 140MM DIMENSIONS
100% INDUSTRIAL JAPANESE CAPACITORS
120MM FDB FAN
INTELLIGENT FAN-CURVE
INDUSTRIAL LEVEL PROTECTION



HIGH EFFICIENCY
80+ GOLD
CERTIFICATION

REDUCE CLUTTER
FULLY MODULAR
DESIGN

RELIABILITY
10 YEARS
WARRANTY

XPG PERCOG

OVER-EAR HEADSET

- HI-RES CERTIFIED
- ADVANCE ENC
- MEMORY FOAM EAR CUSHIONS
- AUTO-ADJUST HEADBAND
- TYPE-C CONTROL BOX WITH DSP
- 3.5MM IN-LINE CONTROL BOX




- WORLD FIRST
DUAL DRIVER
GAMING HEADSET
- DRIVERS
ELECTROSTATIC &
DYNAMIC
- POSITIONAL ACCURACY
FPS & VIRTUAL
7.1 MODE

EMIX H20

OVER-EAR HEADSET

- ERGONOMIC DESIGN
FOR LONG-SESSION COMFORT
- ADJUSTABLE MIC
FOR CONVENIENCE
- USB INTERFACE
NO NEED TO INSTALL SOFTWARE



HEIGHTEN
YOUR SITUATIONAL
AWARENESS

- POSITIONAL ACCURACY
VIRTUAL 7.1
SURROUND SOUND
- IMMERSION & PRECISION
50 mm
DRIVERS
- EASY-TO-ADJUST
ROTATABLE
EAR CUPS



EMIX H30SE

OVER-EAR HEADSET & AMPLIFIER

- 4 AUDIO MODES
GAMING, MOVIE, VOICE, MUSIC
- OUTPUT OPTIONS
SPEAKER OR HEADPHONE
- COMFORT
AUTO-ADJUST BAND &
BREATHABLE CUSHIONS
- DETACHABLE MIC
CONVENIENCE &
EASY STORING

- POSITIONAL ACCURACY
VIRTUAL 7.1
SURROUND
SOUND
- IMMERSION & PRECISION
53 mm
DRIVERS
- LONG-SESSION COMFORT
ERGONOMIC
HEADBAND



EMIX I30

IN-EAR HEADSET

- PATENTED CAVITY DESIGN
IMPROVES TIMBRE
- IN-LINE MIC CONTROL
PUTS YOU IN TOUCH WITH YOUR SQUAD
- MULTI-PLATFORM SUPPORT
PC, MAC, PS4, XBOX ONE, SWITCH,
& MOBILE

- SPATIAL SOUND EFFECT
3D SURROUND
SOUND
- HIGH-QUALITY SOUND
13.5 mm
DRIVERS
- SNUG FIT
ERGONOMIC
EARBUDS



- SWITCH

CHERRY SPEED
SILVER/BLUE/RED
- N-KEY ROLLOVER

100% ANTI-
GHOSTING
- LIGHTING

7 RGB MODES

XPG SUMMONER

GAMING KEYBOARD

- SANDBLASTED ALUMINUM FRAME
- MARCO KEYS & MULTIMEDIA CONTROLS
- USB PASS-THROUGH
- MAGNETIC WRIST REST
- 9 REPLACEMENT KEYS & KEY-PULLER



- TACTILE SWITCHES

MECHANICAL
BLUE
- N-KEY ROLLOVER

100% ANTI
GHOSTING
- DURABLE

50M
KEYPRESSES

INFAREX K20

KEYBOARD

- CURVED KEYCAPS
- 11 LED LIGHTING MODES
- MEDIA KEYS




KAILH BLUE SWITCHES

BATTLEGROUND XL PRIME

GAMING MOUSE PAD

- SPLASH-PROOF
- SCRATCH-RESISTANT
- DETACHABLE BRAIDED CABLE
- NON-SLIP RUBBER BASE



- MATERIAL

CORDURA®
Fabric
- LIGHTING

DUAL-ZONE RGB
- DIMENSION

900 X 420 mm

INFAREX K10

KEYBOARD

- 9 LED LIGHTING MODES
- WINDOWS KEY LOCK SHORTCUT
- CURVED KEYCAPS
- MEDIA KEYS



- 26 KEYS

ANTI-GHOSTING
- TACTILE SWITCHES

MEM-CHANICAL
- N-KEY ROLLOVER

26 KEYS ANTI-GHOSTING
- DURABLE

10M KEYPRESSES

NON RGB VERSION:
BATTLEGROUND XL



PERIPHERAL



INFAREX M20

MOUSE

SENSOR
PMW3325

ACCELERATION
20G MAX

REPORT RATE
250 / 500 / 1000Hz

LIGHTING EFFECT
FULL RGB

ADJUSTABLE DPI
5 SENSITIVITY
SETTINGS

OMRON SWITCHES
20M CLICKS



UP TO 5000 DPI

XPG GEAR

GAME TO THE XTREME

INFAREX M10 & R10

MOUSE & MOUSE PAD

INFAREX M10

DURABLE SWITCHES
10 MILLION CLICKS

DPI
800 / 1600 / 2400 / 3200

ACCELERATION
8G MAX

REPORT RATE
125Hz



ERGONOMIC DESIGN



LIGHTING EFFECT
FULL RGB

LONG-SESSION COMFORT
ERGONOMIC DESIGN

DURABLE MOUSE PAD
SCRATCH
RESISTANT PVC

INFAREX R10

ANTI-SLIP RUBBER FEET ON BASE


STORM

RGB M.2 2280 SSD HEATSINK

DESIGN
FOR M.2 2280 SOLID STATE DRIVES

SUPERIOR THERMAL COOLING
UP TO 25% COOLER

DIMENSIONS
L x W x H 81.5 x 24.55 x 23 mm



- LIGHTING EFFECT
FULL RGB
- EFFECTIVE COOLING
PCB FAN INCLUDED
- EASY INSTALLATION
TOOL-FREE

SD700X

EXTERNAL SSD

HIGH-LOADING SPEED
ACCELERATE LOAD TIMES BY AN AVERAGE 20%
LIGHT, COMPACT, & PORTABLE

CAPACITY
256GB / 512GB / 1TB

- SHOCKPROOF
MILITARY-GRADE
- WATER/DUST PROOF
IP68-CERTIFIED
- NAND FLASH
3D TLC

STOCKPILE YOUR GAMES
WITH HIGHER CAPACITIES



EX500

EXTERNAL ENCLOSURE

DETACHABLE LOCK DESIGN

DEDICATED CONTROLLER
MAXIMIZE TRANSFER SPEED EFFICIENCY

COMPATIBILITY
SATA 6GB/s & USB 3.1 INTERFACE

- EASY DRIVE SWAPPING
SECURE
LOCK DESIGN
- EASY INSTALLATION
TOOL-FREE
DESIGN
- STYLISH
BRUSHED
ALUMINUM



TOOL-FREE DESIGN



- READ SPEED
100MB/s
- WRITE SPEED
85MB/s
- LARGE CAPACITY
512GB

MICRO SDXC UHS-I U3 CLASS 10

MEMORY CARD

HIGH COMPATIBILITY WITH VARIOUS DEVICES
APPLICATION PERFORMANCE CLASS 1 (A2)

CAPACITY
128GB / 256GB / 512GB



DOWNLOAD & STORE MORE
WITH HIGHER CAPACITIES

Xtreme Performance Gear

Gear up and win one
for the team!

Reach your full potential with XPG



Enjoy blazing speeds



Fight on with fury



Team up to pursue victory



Strive for perfection

Headquarters

Taipei

T: +886-2-8228-0886

E: adata@adata.com

Asia

Beijing, China

T: +86-10-5128-6922

E: adata_bj@adata.com

Shanghai, China

T: +86-21-6233-1010

E: adata_sh@adata.com

Shenzhen, China

T: +86-755-8882-3637

E: adata_sz@adata.com

Hong Kong, China

T: +852-2127-7072

E: adata_hk@adata.com

Tokyo, Japan

T: +81-3-5807-0011

E: adata_jp@adata.com

Seoul, Korea

T: +82-80-710-4226

E: adata_kr@adata.com

Mumbai, India

T: +91-22-4286-8888

E: adata_in@adata.com

Americas

Los Angeles, USA

T: +1-714-332-8708

E: adata_usa@adata.com

Toll Free:

+1-888-YO-ADATA (96-23282)

Miami, USA

T: +1-305-716-0188

E: adata_latin@adata.com

Mexico City, Mexico

T: +52-55-5543-7427

E: adata_mx@adata.com

Santo Antonio de Posse, Brazil

T: +55-19-3199-0886

E: vendas_br@adata.com

Europe

Hoofddorp, Netherlands

T: +31-23-5689203

E: adata_europe@adata.com

Ratingen, Germany

T: +49-2102-420-717

E: adata_europe@adata.com

Manufacturing Facilities

Suzhou, China

T: +86-512-6593-0886

E: adata@adata.com

São Paulo, Brazil

T: +55-19-3115-5267

E: adata@adata.com

www.xpg.com

Copyright 2019 by ADATA Technology Co., Ltd. All rights reserved.
All brand names are registered trademarks of their respective owners.



XTREME PERFORMANCE GEAR

终极功效
エクストリームパフォーマンスギア
최고 성능의 기어

極
限
效
能
體
驗

МЕХАНИЗМ С ЭКСТРЕМ
АЛЬНОЙ ПРОИЗВОДИ
ТЕЛЬНОСТЬЮ

極限效能體驗

Extrem leistungsstarke
Ausrüstung

EQUIPO DE
RENDIMIENTO
EXTREMO

ハイクパフォーマンスギア

최고
성능의
기어

최고
성능의
기어

최고
성능의
기어



極
限
效
能
體
驗

XPG.COM