



**CALIFORNIA STATE
ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM
Fields of Accreditation**



Clinical Laboratory of San Bernardino, Inc.

21881 Barton Road
Grand Terrace, CA 92313
Phone: 9098670947

**Certificate Number: 1088
Expiration Date: 1/31/2028**

Field of Accreditation:101 - Microbiology of Drinking Water

101.010	001	Heterotrophic Bacteria	SM 9215 B
101.020	004	Total Coliform (Enumeration)	SM 9221 B,C
101.020	005	Fecal Coliform (Enumeration)	SM 9221 B,E
101.050	001	Total Coliform P/A	SM 9223 B Collert
101.050	002	E. coli P/A	SM 9223 B Collert
101.050	005	Total Coliform P/A	SM 9223 B Collert 18
101.050	006	E. coli P/A	SM 9223 B Collert 18
101.050	007	Total Coliform (Enumeration)	SM 9223 B Collert 18
101.050	008	E. coli (Enumeration)	SM 9223 B Collert 18

Field of Accreditation:102 - Inorganic Chemistry of Drinking Water

102.020	001	Turbidity	EPA 180.1
102.026	001	Calcium	EPA 200.7
102.026	002	Magnesium	EPA 200.7
102.026	003	Potassium	EPA 200.7
102.026	004	Silica	EPA 200.7
102.026	005	Sodium	EPA 200.7
102.026	006	Hardness (Calculation)	EPA 200.7
102.030	003	Chloride	EPA 300.0
102.030	005	Fluoride	EPA 300.0
102.030	006	Nitrate (as N)	EPA 300.0
102.030	007	Nitrite (as N)	EPA 300.0
102.030	009	Sulfate (as SO4)	EPA 300.0
102.045	001	Perchlorate	EPA 314.0
102.060	001	Nitrate (as N) (Calculation)	EPA 353.2
102.061	001	Nitrite (as N)	EPA 353.2
102.100	001	Alkalinity	SM 2320 B-1997
102.130	001	Specific Conductance	SM 2510 B-1997
102.140	001	Residue, Filterable TDS	SM 2540 C-1997
102.175	001	Chlorine, Free	SM 4500-Cl G-2000
102.175	002	Chlorine, Total Residual	SM 4500-Cl G-2000
102.191	001	Cyanide, Total	SM 4500-CN F-1999
102.203	001	Hydrogen Ion (pH)	SM 4500-H+ B-2000
102.240	001	Phosphate,Ortho (as P)	SM 4500-P E-1999

As of 2/1/2026, this list supersedes all previous lists for this certificate number.
Customers: Please verify the current accreditation standing with the State.

102.260	001	Organic Carbon-Total (TOC)	SM 5310 B-2000
102.261	001	Dissolved Organic Carbon (DOC)	SM 5310 B-2000
102.270	001	Surfactants	SM 5540 C-2000
102.280	001	UV254	SM 5910 B-2011

Field of Accreditation:103 - Toxic Chemical Elements of Drinking Water

103.130	001	Aluminum	EPA 200.7
103.130	003	Barium	EPA 200.7
103.130	008	Copper	EPA 200.7
103.130	009	Iron	EPA 200.7
103.130	011	Manganese	EPA 200.7
103.130	017	Zinc	EPA 200.7
103.130	018	Boron	EPA 200.7
103.140	001	Aluminum	EPA 200.8
103.140	002	Antimony	EPA 200.8
103.140	003	Arsenic	EPA 200.8
103.140	004	Barium	EPA 200.8
103.140	005	Beryllium	EPA 200.8
103.140	006	Cadmium	EPA 200.8
103.140	007	Chromium	EPA 200.8
103.140	008	Copper	EPA 200.8
103.140	009	Lead	EPA 200.8
103.140	010	Manganese	EPA 200.8
103.140	011	Mercury	EPA 200.8
103.140	012	Nickel	EPA 200.8
103.140	013	Selenium	EPA 200.8
103.140	014	Silver	EPA 200.8
103.140	015	Thallium	EPA 200.8
103.140	016	Zinc	EPA 200.8
103.140	017	Boron	EPA 200.8
103.140	018	Vanadium	EPA 200.8
103.140	019	Strontium	EPA 200.8
103.310	001	Chromium VI (Hexavalent Chromium)	EPA 218.6
103.311	001	Chromium VI (Hexavalent Chromium)	EPA 218.7

Field of Accreditation:104 - Volatile Organic Chemistry of Drinking Water

104.030	001	1,2-Dibromoethane (EDB)	EPA 504.1
104.030	002	1,2-Dibromo-3-chloropropane (DBCP)	EPA 504.1
104.035	001	1,2,3-Trichloropropane (TCP)	SRL 524M-TCP
104.200	002	1,1,1-Trichloroethane	EPA 524.2
104.200	003	1,1,2,2-Tetrachloroethane	EPA 524.2
104.200	004	1,1,2-Trichloroethane	EPA 524.2
104.200	005	1,1-Dichloroethane	EPA 524.2
104.200	006	1,1-Dichloroethylene (1,1-Dichloroethene)	EPA 524.2

104.200	008	1,2,4-Trichlorobenzene	EPA 524.2
104.200	010	1,2-Dichlorobenzene	EPA 524.2
104.200	011	1,2-Dichloroethane (Ethylene Dichloride)	EPA 524.2
104.200	012	1,2-Dichloropropane	EPA 524.2
104.200	015	1,4-Dichlorobenzene	EPA 524.2
104.200	018	Benzene	EPA 524.2
104.200	020	Carbon Tetrachloride	EPA 524.2
104.200	021	Chlorobenzene	EPA 524.2
104.200	022	cis-1,2-Dichloroethylene (cis 1,2 Dichloroethene)	EPA 524.2
104.200	023	cis-1,3-Dichloropropylene (cis 1,3 Dichloropropene)	EPA 524.2
104.200	025	Dichloromethane (Methylene Chloride)	EPA 524.2
104.200	027	Ethyl tert-butyl Ether (ETBE)	EPA 524.2
104.200	028	Ethylbenzene	EPA 524.2
104.200	031	Methyl tert-butyl Ether (MTBE)	EPA 524.2
104.200	036	Styrene	EPA 524.2
104.200	037	t-Butyl alcohol (2-Methyl-2-propanol)	EPA 524.2
104.200	038	tert-Amyl Methyl Ether (TAME)	EPA 524.2
104.200	040	Tetrachloroethylene (Tetrachloroethene)	EPA 524.2
104.200	041	Toluene	EPA 524.2
104.200	042	trans-1,2-Dichloroethylene (trans- 1,2 Dichloroethene)	EPA 524.2
104.200	043	trans-1,3-Dichloropropylene (trans-1,3 Dichloropropene)	EPA 524.2
104.200	044	Trichloroethylene (Trichloroethene)	EPA 524.2
104.200	045	Trichlorofluoromethane	EPA 524.2
104.200	046	Trichlorotrifluoroethane	EPA 524.2
104.200	047	Vinyl Chloride	EPA 524.2
104.200	102	m+p-Xylene	EPA 524.2
104.200	103	o-Xylene	EPA 524.2
104.200	201	Bromodichloromethane	EPA 524.2
104.200	202	Bromoform	EPA 524.2
104.200	203	Chloroform	EPA 524.2
104.200	204	Dibromochloromethane (Chlorodibromomethane)	EPA 524.2

Field of Accreditation:105 - Semi-volatile Organic Chemistry of Drinking Water

105.050	005	Chlordane (total)	EPA 508.1
105.050	011	Heptachlor	EPA 508.1
105.050	012	Heptachlor Epoxide	EPA 508.1
105.050	013	Hexachlorobenzene	EPA 508.1
105.050	014	Hexachlorocyclopentadiene	EPA 508.1
105.050	015	Lindane (HCH-gamma)	EPA 508.1
105.050	016	Methoxychlor	EPA 508.1
105.050	028	PCBs as Aroclors	EPA 508.1
105.050	029	Toxaphene	EPA 508.1
105.083	002	Dinoseb	EPA 515.4

105.083	003	Pentachlorophenol	EPA 515.4
105.083	004	Picloram	EPA 515.4
105.083	005	2,4,5-TP (Silvex)	EPA 515.4
105.083	007	Bentazon	EPA 515.4
105.085	001	1,4-Dioxane	EPA 522
105.090	001	Alachlor	EPA 525.2
105.090	003	Atrazine	EPA 525.2
105.090	004	Benzo(a)pyrene	EPA 525.2
105.090	008	Di(2-ethylhexyl) Adipate	EPA 525.2
105.090	009	Di(2-ethylhexyl) Phthalate	EPA 525.2
105.090	022	Molinate (Ordram)	EPA 525.2
105.090	025	Simazine	EPA 525.2
105.090	028	Thiobencarb	EPA 525.2
105.100	005	Carbofuran (Furadan)	EPA 531.1
105.100	008	Oxamyl	EPA 531.1
105.120	001	Glyphosate	EPA 547
105.140	001	Endothall	EPA 548.1
105.150	001	Diquat	EPA 549.2
105.200	001	Bromoacetic Acid	EPA 552.2
105.200	003	Chloroacetic Acid	EPA 552.2
105.200	005	Dibromoacetic Acid	EPA 552.2
105.200	006	Dichloroacetic Acid	EPA 552.2
105.200	007	Trichloroacetic Acid	EPA 552.2

Field of Accreditation:106 - Radionuclides in Drinking Water

106.092	001	Uranium	EPA 200.8
106.270	001	Gross Alpha	SM 7110 C

Field of Accreditation:107 - Microbiological Methods for Non-Potable Water and Sewage Sludge

107.050	001	Total Coliform (Enumeration)	SM 9221 B-2014
107.052	001	Fecal Coliform (Enumeration)	SM 9221 E-2014

Field of Accreditation:108 - Inorganic Constituents in Non-Potable Water

108.007	001	Residue, Volatile	EPA 160.4
108.009	001	Turbidity	EPA 180.1
108.013	001	Calcium	EPA 200.7
108.013	002	Magnesium	EPA 200.7
108.013	004	Potassium	EPA 200.7
108.013	005	Silica, Dissolved	EPA 200.7
108.013	006	Sodium	EPA 200.7
108.017	002	Chloride	EPA 300.0
108.017	003	Fluoride	EPA 300.0
108.017	004	Nitrate (as N)	EPA 300.0
108.017	005	Nitrate-Nitrite (as N)	EPA 300.0
108.017	006	Nitrite (as N)	EPA 300.0

108.017	008	Sulfate (as SO4)	EPA 300.0
108.025	001	Ammonia (as N)	EPA 350.1
108.029	001	Kjeldahl Nitrogen, Total (as N)	EPA 351.2
108.033	001	Nitrate-Nitrite (as N)	EPA 353.2
108.033	002	Nitrite (as N)	EPA 353.2
108.053	002	Oil & Grease, Total Recoverable	EPA 1664 B
108.063	001	Alkalinity	SM 2320 B-2011
108.065	001	Hardness (Calculation)	SM 2340 B-2011
108.069	001	Specific Conductance	SM 2510 B-2011
108.070	001	Residue, Total	SM 2540 B-2015
108.074	001	Residue, Non-filterable TSS	SM 2540 D-2015
108.078	001	Residue, Settleable	SM 2540 F-2015
108.114	001	Chlorine, Total Residual	SM 4500-Cl G-2011
108.137	001	Hydrogen Ion (pH)	SM 4500-H+ B-2011
108.175	001	Phosphate, Ortho (as P)	SM 4500-P E-2011
108.175	002	Phosphorus, Total	SM 4500-P E-2011
108.201	001	Sulfide (as S)	SM 4500-S D-2011
108.206	001	Biochemical Oxygen Demand	SM 5210 B-2016
108.206	002	Carbonaceous BOD	SM 5210 B-2016
108.214	001	Organic Carbon-Total (TOC)	SM 5310 B-2014
108.225	001	Surfactants	SM 5540 C-2011
108.325	001	Chemical Oxygen Demand	Hach 8000

Field of Accreditation: 109 - Metals and Trace Elements in Non-Potable Water

109.623	001	Aluminum	EPA 200.7
109.623	004	Barium	EPA 200.7
109.623	006	Boron	EPA 200.7
109.623	009	Cobalt	EPA 200.7
109.623	010	Copper	EPA 200.7
109.623	011	Iron	EPA 200.7
109.623	013	Manganese	EPA 200.7
109.623	014	Molybdenum	EPA 200.7
109.623	022	Zinc	EPA 200.7
109.625	001	Aluminum	EPA 200.8
109.625	002	Antimony	EPA 200.8
109.625	003	Arsenic	EPA 200.8
109.625	004	Barium	EPA 200.8
109.625	005	Beryllium	EPA 200.8
109.625	007	Cadmium	EPA 200.8
109.625	008	Chromium	EPA 200.8
109.625	009	Cobalt	EPA 200.8
109.625	010	Copper	EPA 200.8
109.625	013	Lead	EPA 200.8

109.625	014	Manganese	EPA 200.8
109.625	015	Molybdenum	EPA 200.8
109.625	016	Nickel	EPA 200.8
109.625	017	Selenium	EPA 200.8
109.625	018	Silver	EPA 200.8
109.625	019	Thallium	EPA 200.8
109.625	022	Vanadium	EPA 200.8
109.625	023	Zinc	EPA 200.8
109.629	001	Chromium VI (Hexavalent Chromium)	EPA 218.6

Field of Accreditation: 126 - Microbiological Methods for Ambient Water

126.102	001	Total Coliform (Enumeration)	SM 9221 B-2014
126.104	001	Fecal Coliform (Enumeration)	SM 9221 E-2014
126.122	001	E. coli (Enumeration)	SM 9223 B-2016 Colilert 18