

# The Original Shed & Garage Company

3424 S. Campbell Ave Tucson Arizona 85713  
520-296-8833 800-350-8833 520-620-1686 Fax

## Standard Features Page


We offer an EXCLUSIVE FLOOR SYSTEM (A) Our 4X4 runners are rated for GROUND and FRESH WATER CONTACT. These timbers have a limited lifetime warranty that protects your building against termites and ground rot. Strong  $\frac{3}{4}$ " plywood is nailed on top of the runners to ensure maximum load strength and durability. This unique floor system is open at both ends for additional ventilation, which guarantees that your ORIGINAL SHED can safely rest in your backyard for years to come. The superior floor design allows your ORIGINAL SHED to be moveable.



Exclusive Flooring System



Premium Siding



Owens Corning® Shingles

We use OWENS CORNING® SHINGLES (C) which are reinforced, less likely to break than other brands, and are available in your choice of tan or white. Other roof applications are available upon request. (additional cost may apply)

Rust free DRIP EDGE (D) protects wood against water damage, see additional Hardware listed below.

Heavy Duty Door Hinge



Steel Whitcomb Door Latches by Albany Hardware(E) are the perfect addition for doors on sheds, barns and garages. Use them on any swinging door! Their superior features and quality are well known based on 90 years of experience.

This Steel Latch works well for any swinging door on sheds, barns and garages. Handle lugs are built to stand hardware and a strong spring ensures secure latching. A wide base on the front prevents screws from pulling out and there are no rivets, pins or welds to fail. Two strong lugs take all the pull. Latches are adjustable for doors up to 2" thick.

(insert images dripedge.jpg, latchoutside.jpg, shingles-brochure.jpg found in WC Files/Cx Files/Standard Features folder)



Drip Edged & Hardware




Whitcomb Steel Door Latch  
Brought to you by Albany Hardware

We only use the best materials from the ground up and our siding is no exception. PREMIUM ½" SIDING (B) provides exceptional strength and durability and comes standard with 7 or 8 ft sidewalls. The hardboard finish is guaranteed not to crack, split, or check and will maintain its good looks for decades.

(insert images doityourselflogo.gif, osmosewoodpile.jpg found in WC Files/Cx Files/Standard Features folder)

Information brought to you by:



Osmose®

We only use Osmose® timber(F) in our EXCLUSIVE FLOOR SYSTEM(A). Osmose® has a limited lifetime warranty that protects your building against termites and ground rot.

(insert image – osmose\_logo.gif found in WC Files/Cx Files/Standard Features folder)

– link to: <http://www.osmose.com/wood/usa/>)

Information brought to you by:



**SHED &  
GARAGE  
COMPANY**