




the pressure equipment safety authority

STATUTORY DECLARATION
Registration of Fittings



I, Shun-Tien Fan
President

(company title, e.g. vice president, plant manager, chief engineer) (must be in a position of authority)

of JDV Control Valves Co., Ltd.
(name of manufacturer)

located at No. 2-2, Lane 292, Shin Nung Rd., Shin Wu Towan, Tao Yuan Hsien, 327 Taiwan R.O.C.
(plant address)

do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (check one)

comply with the requirements of ANSI-B16.34/16.10/16.5, API6D, which specifies the dimensions,
(title of recognized North American Standard)

materials of construction, pressure/temperature ratings and identification marking of the fittings, or

are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with _____ as supported by the attached data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the marking of the fittings for identification.

I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified by the following authority, DNV / ISO 9001:2008 as being suitable for the manufacture of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are Ball Valve/Segment Valve

In support of this application, the following information, calculations and/or test data are attached:'

Drawings: JJBMD1000,BABBZ000001,BABBZ000002,JJBMD2000,BABBZ000003,BABBZ000004,JJBMD4000, BABBZ000005,BABBZ000006,JJBCB4001,JJBCF4001,JJBCE4001,BABCZ000001,BABCZ000002,JJBTD1000-1, JJBTB1000-2,JJBTD2000-1,JJBTD2000-2,JJBTD4000-1,JJBTD4000-2,JJBZB1000-1,JJBQB1000-2,JJBZB2000-1,JJBQB2000-2,JJBQB4000-1,JJBQB4000-2,BZBTZ000001,BZBTZ000002,JJDIA2000,JJDIB2000

DECLARED before me at Notary public in the Pan-chiao Dist. of Taiwan
this 21 day of 01, 2011
(Month) (Year)

(print) Shun-Tien Fan

SHUN-TIEN FAN
(Signature of Applicant)

(sign) _____
(A Commissioner for Oaths)

For Office Use Only

To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is accepted for registration in Category _____

Registration Number: 0C14175.52

(For the Administrator/Chief Inspector of Alberta)

Date Registered: MAR 25 2011

Expiry Date: Feb. 9, 2021



TECHNICAL STANDARDS &
SAFETY AUTHORITY
14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario
Canada M8X 2X4

appear on the fitting, in the space below



STATUTORY DECLARATION Registration of Fittings

I, Shun-Tien Fan / President
(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of JDV Control Valves Co., Ltd.
(Name of Manufacturer)

Located at No. 2-2, Lane 292, Shin Nung Rd., Shin Wu Town, Tao Yuan Hsien +886 3 4203366 +886 3 4206818
(Plant Address) (Telephone No.) (Fax No.)

do solemnly declare that the fittings listed hereunder, which are subject to the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, comply with all of the requirements of
ANSI B16.34, ANSI B16.10, ANSI B16.5, API 598, API 607, API 6FA, API 6D, FCI 70-2, ISA S75.04

(Title of recognized North American Standard)

which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;

or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with _____ as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO 9001:2008 which has been verified by the following authority, Det Norske Veritas.

The items covered by this declaration, for which I seek registration, are category C type fittings. In support of this application, the following information and/or test data are attached as follows:

JJBMD1000, BABBZ000001, BABBZ000002, JJBMD2000, BABBZ000003, BABBZ000004, JJBMD4000, BABBZ000005, BABBZ
(drawings, calculations, test reports, etc.)

Declared before me at Notary public in the Ban-chiao Dis. Cont. of Taiwan

the 21 day of January AD 2011



Commissioner for Oaths:

(Printed name)

(Signature)

SHUN-TIEN FAN
(Signature of Declarer)

FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, and CSA Standard B51 and is accepted for registration in Category C.

CRN: CSA-0C14175.56

Registered by: Bikramjit S. Sandhu, P.Eng

Dated: 19 April 2011

NOTE: This registration expires on Feb 9, 2021



PV 09553 (06/04)

*NOTE: 1) This CRN covers valves in accordance with ASME B16.34 standard with regard to pressure rating, material and min. thickness requirements.
2) See Attachment for the scope of the registration.


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
 NUNAVUT

NOVA SCOTIA
 YUKON

PRINCE EDWARD ISLAND
 NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: JDV CONTROL VALVES CO., LTD.	
MANUFACTURERS ADDRESS: NO. 2-2, LANE 292, SHIN NUNG RD., SHIN WU TOWN, TAO YUAN HSIEN 327, TAIWAN R.O.C.	
PLANT LOCATIONS: NO. 2-2, LANE 292, SHIN NUNG RD., SHIN WU TOWN, TAO YUAN HSIEN 327, TAIWAN R.O.C.	
<p align="center">CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting AECB or ASME requirements)</p>	<p align="center">TITLE OF THE STANDARD OF CONSTRUCTION</p> <p>ANSI B16.34/16.10/16.5 API 598 API 607 API 6FA API 6D ISA S75.04</p>
<p>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> 	<p align="center">TYPE OF CONSTRUCTION</p> <p>FORGED <input checked="" type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:</p>
<p>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</p> <p>JJBMD1000,BABBZ000001,BABBZ000002,JJBMD2000,BABBZ000003,BABBZ000004,JJBMD4000,BABBZ000005,BABBZ000006 JJBCB4001,JJBCF4001,JJBCE4001,BABCZ000001,BABCZ000002 JJBTB1000-1,JJBTB1000-2,JJBTB2000-1,JJBTB2000-2,JJBTB4000-1,JJBTB4000-2,BZBTZ000001,BZBTZ000002 JJQB1000-1,JJQB1000-2,JJQTB2000-1,JJQB2000-2,JJQB4000-1,JJQB4000-2 JJDA2000, JJDB2000</p>	

DECLARATION:
 I, Shun-Tien Fan (see note 3) employed by JDV Control Valves Co., Ltd. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001:2008 / DNV as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: SHUN-TIEN FAN
 Declared before me at _____
 This 21 day of January AD 2011
 Commissioner of Oaths or Notary Public: (sign) _____
 (Affix Official seal to the right)

USE THIS SPACE FOR THE OFFICIAL SEAL

<p align="center">This space for Regulatory Authority use</p> <p align="center">This registration must be revalidated after ten (10) years from the date of acceptance.</p> <p>CRN: <u>0C14175.5</u></p> <p>FID#: <u>2833</u></p> <p>Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.</p>	<p align="center">New Brunswick Nouveau Brunswick DEPT OF PUBLIC SAFETY BOILER & PRESSURE VESSEL ACT</p> <p align="center">REGISTRATION ONLY</p> <p>CRN: <u>0C14175.57</u></p> <p>EXAMINER: <u>[Signature]</u> for CHIEF BOILER INSPECTOR</p> <p>DATE: <u>03/09/2011</u></p> <p><input type="checkbox"/> BLRs <input type="checkbox"/> PVs</p>
--	---

FITTINGS COMPONENTS


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
 NUUNAVUT

NOVA SCOTIA
 YUKON

PRINCE EDWARD ISLAND
 NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: JDV CONTROL VALVES CO., LTD.	
MANUFACTURERS ADDRESS: NO. 2-2, LANE 292, SHIN NUNG RD., SHIN WU TOWN, TAO YUAN HSIEN 327, TAIWAN R.O.C.	
PLANT LOCATIONS: NO. 2-2, LANE 292, SHIN NUNG RD., SHIN WU TOWN, TAO YUAN HSIEN 327, TAIWAN R.O.C.	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
<p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p><input checked="" type="radio"/> C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	<p>TITLE OF THE STANDARD OF CONSTRUCTION</p> <p>ANSI B16.34/16.10/16.5</p> <p>API 598</p> <p>API 607</p> <p>API 6FA</p> <p>API 6D</p> <p>ISA S75.04</p>
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	
TYPE OF CONSTRUCTION	
<p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/></p> <p>CAST <input type="checkbox"/> OTHER <input type="checkbox"/></p> <p>DESCRIBE OTHER:</p>	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:	
<p>JJBMD1000,BABBZ000001,BABBZ000002,JJBMD2000,BABBZ000003,BABBZ000004,JJBMD4000,BABBZ000005,BABBZ000006</p> <p>JJBBC4001,JJBBCF4001,JJBBCD4001,BABCZ000001,BABCZ000002</p> <p>JJBTB1000-1,JJBTB1000-2,JJBTB2000-1, JJBTB2000-2,JJBTB4000-1,JJBTB4000-2,JJBZ000001,BJBZ000002</p> <p>JJBQB1000-1,JJBQB1000-2,JJBQB2000-1,JJBQB2000-2,JJBQB4000-1,JJBQB4000-2</p> <p>JJDIA2000, JJDIB2000</p>	

DECLARATION:
I, Shun-Tien Fan (see note 3) employed by JDV Control Valves Co., Ltd. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001:2008 / DNV as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: SHUN-TIEN FAN

Declared before me at _____

This 21 day of January AD 2011

Commissioner of Oaths or Notary Public: (sign) _____

(Affix Official seal to the right)

USE THIS SPACE FOR THE OFFICIAL SEAL

<p align="center">This space for Regulatory Authority use</p> <p align="center">This registration must be revalidated after ten (10) years from the date of acceptance</p> <p>CRN: <u>0C14175.5</u></p> <p>FID#: <u>2833</u></p> <p>Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.</p>	<p align="center">GOVERNMENT OF NEWFOUNDLAND AND LABRADOR Department of Government Services</p> <p>Registered <u>0C14175.50</u> Date <u>2011/3/22</u></p> <p align="center">GOVERNMENT ENGINEERING CENTRE Engineering and Inspection Services</p> <p>Registered by <u>[Signature]</u></p> <p align="center">UNDER THE AUTHORITY OF THE PUBLIC SAFETY ACT AND THE BOILER, PRESSURE VESSEL AND COMPRESSED GAS REGULATIONS</p>
---	---

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: JDV CONTROL VALVES CO., LTD.
MANUFACTURERS ADDRESS: NO. 2-2, LANE 292, SHIN NUNG RD., SHIN WU TOWN, TAO YUAN HSIEN 327, TAIWAN R.O.C.

PLANT LOCATIONS: NO. 2-2, LANE 292, SHIN NUNG RD., SHIN WU TOWN, TAO YUAN HSIEN 327, TAIWAN R.O.C.

- CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY**
- A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
 - B Flanges: all flanges
 - C Valves: all line valves
 - D Expansion joints, flexible connections, and hose assemblies: all types
 - E Strainers, filters, separators, and steam traps
 - F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
 - G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
 - H Pressure retaining components that do not fall into one of the above categories
 - N Nuclear components: Class 1 Class 2 Class 3 (Meeting AECB or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION

ANSI B16.34/16.10/16.5
API 598
API 607
API 6FA
API 6D
ISA S75.04

TYPE OF CONSTRUCTION

FORGED WELDED WROUGHT
CAST OTHER
DESCRIBE OTHER:

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT



LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

JJBMD1000, BABBZ000001, BABBZ000002, JJBMD2000, BABBZ000003, BABBZ000004, BABBZ000005, BABBZ000006
 JJBCB4001, JJBCF4001, JJBCD4001, BABCZ000001, BABCZ000002
 JJBTB1000-1, JJBTB1000-2, JJBTB2000-1, JJBTB2000-2, JJBTB4000-1, JJBTB4000-2, JJBTB4000-3, JJBTB4000-4
 JJQB1000-1, JJQB1000-2, JJQB2000-1, JJQB2000-2, JJQB4000-1, JJQB4000-2
 JJDLA2000, JJDLB2000

DECLARATION:
 I, Shun-Tien Fan (see note 3) employed by JDV Control Valves Co., Ltd. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001:2008 / DNV as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: SHUN-TIEN FAN

Declared before me at _____
 This 21 day of January AD 2011
 Commissioner of Oaths
 or Notary Public: (sign) _____

USE THIS SPACE FOR THE OFFICIAL SEAL

This space for Regulatory Authority use only.
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C14175.5
 FID#: 2833

- Notes:**
1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

C.R.N. 0C14175.5T
 SIGNED Shun-Tien Fan
 DATE March 15/2011

9150.00

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: JDV CONTROL VALVES CO., LTD.

MANUFACTURERS ADDRESS: NO. 2-2, LANE 292, SHIN NUNG RD., SHIN WU TOWN, TAO YUAN HSIEN 327, TAIWAN R.O.C.


PLANT LOCATIONS: NO. 2-2, LANE 292, SHIN NUNG RD., SHIN WU TOWN, TAO YUAN HSIEN 327, TAIWAN R.O.C.

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
 B Flanges: all flanges
 C Valves: all line valves
 D Expansion joints, flexible connections, and hose assemblies: all types
 E Strainers, filters, separators, and steam traps
 F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
 G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
 H Pressure retaining components that do not fall into one of the above categories
 N Nuclear components: Class 1 Class 2 Class 3 (Meeting AECB or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION
 ANSI B16.34/16.10/16.5
 API 598
 API 607
 API 6FA
 API 6D
 ISA S75.04

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT



TYPE OF CONSTRUCTION
 FORGED WELDED WROUGHT
 CAST OTHER
 DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:
 JJBMD1000, BABBZ000001, BABBZ000002, JJBMD2000, BABBZ000003, BABBZ000004, JJBMD4000, BABBZ000005, BABBZ000006
 JJBCB4001, JJBCF4001, JJBCD4001, BABCZ000001, BABCZ000002
 JJBTB1000-1, JJBTB1000-2, JJBTB2000-1, JJBTB2000-2, JJBTB4000-1, JJBTB4000-2, JJBTB4000-3, JJBTB4000-4, JJBTB4000-5, JJBTB4000-6
 JJQB1000-1, JJQB1000-2, JJQTB2000-1, JJQB2000-2, JJQB4000-1, JJQB4000-2, JJQB4000-3, JJQB4000-4, JJQB4000-5, JJQB4000-6
 JJDLA2000, JJDIB2000

DECLARATION:
 I, Shun-Tien Fan (see note 3) employed by JDV Control Valves Co., Ltd. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001:2008 / DNV as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: SHUN-TIEN FAN

Declared before me at _____
 This 21 day of January AD 2011

Commissioner of Oaths
 or Notary Public: (sign) _____
 (Affix Official seal to the right)


USE THIS SPACE FOR THE
 OFFICIAL SEAL

This space for Regulatory Authority use
 This registration must be revalidated after ten (10) years from the date of acceptance

CRN: OC14175.5
 FID#: 2833

Date: March 11/11
 C.R.N. OC14175.58
 Dwg. as described
 Signed Yvonne Perry
 of 1 Part

Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.



UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: JDV CONTROL VALVES CO., LTD.

MANUFACTURERS ADDRESS: NO. 2-2, LANE 292, SHIN NUNG RD., SHIN WU TOWN, TAO YUAN HSIEN 327, TAIWAN R.O.C.

PLANT LOCATIONS: NO. 2-2, LANE 292, SHIN NUNG RD.: SHIN WU TOWN, TAO YUAN HSIEN 327, TAIWAN R.O.C.

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers	ANSI B16.34/16.10/16.5
B Flanges; all flanges	API 598
C Valves; all line valves	API 607
D Expansion joints, flexible connections, and hose assemblies: all types	API 6FA
E Strainers, filters, separators, and steam traps	API 6D
F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters	ISA 576.01
G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs	ASME VIII Div 1
H Pressure retaining components that do not fall into one of the above categories	
N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> . (Meeting AECB or ASME requirements)	

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT

AT

TITLE OF THE STANDARD OF CONSTRUCTION

FORGED WELDED WROUGHT
CAST OTHER
DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

JJBM1000, BABB2000001, BABB2000002, JJBM2000, BABB2000003, BABB2000004, BABB2000005, BABB2000006

JJBCB4001, JJBCF4001, JJBCD4001, BABCZ000001, BABCZ000002

JJBTB1000-1, JJBTB1000-2, JJBTB2000-1, JJBTB2000-2, JJBTB4000-1, JJBTB4000-2, JJBTB4000-3, JJBTB4000-4

JJBQB1000-1, JJBQB1000-2, JJQTB2000-1, JJBQB2000-2, JJBQB4000-1, JJBQB4000-2, JJBQB4000-3, JJBQB4000-4

JJDIA2000, JJDIB2000

DECLARATION: I, Shun-Tien Fan (see note 3) employed by JDV Control Valves Co., Ltd. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001:2008 / DNV as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: SHUN-TIEN FAN

Declared before me at _____
 This 21 day of January AD 2011
 Commissioner of Oaths or Notary Public: (sign) _____
 (Affix Official seal to the right)

USE THIS SPACE FOR THE OFFICIAL SEAL

This space for Regulatory Authority
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C14175.5

FID#: 2833

Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

NUNAVUT
 Boilers and Pressure Vessels Act

REGISTERED

CRN 0C14175.5N
 Date May 21, 2011
 Signed [Signature] Chief Inspector

Territorial Registration Fee 80



TECHNICAL STANDARDS & SAFETY AUTHORITY
 14th Floor, Centre Tower
 3300 Bloor Street West
 Toronto, Ontario
 Canada M8X 2X4

Show facsimile of manufacturer's logo or trademark, as it will appear on the fitting, in the space below



STATUTORY DECLARATION Registration of Fittings

I, Shun-Tien Fan / President
(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of JDV Control Valves Co., Ltd.
(Name of Manufacturer)

Located at No. 2-2, Lane 292, Shin Nung Rd., Shin Wu Town, Tao Yuan Hsien +886 3 4203366 +886 3 4206818
(Plant Address) (Telephone No.) (Fax No.)

do solemnly declare that the fittings listed hereunder, which are subject to the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, comply with all of the requirements of
ANSI B16.34, ANSI B16.10, ANSI B16.5, API 598, API 607, API 6FA, API 6D, FCI 70-2, ISA S75.04
(Title of recognized North American Standard)

which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;

or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with _____ as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO 9001:2008 which has been verified by the following authority, Det Norske Veritas

The items covered by this declaration, for which I seek registration, are category C type fittings. In support of this application, the following information and/or test data are attached as follows:

JJBMD1000, BABBZ000001, BABBZ000002, JJBMD2000, BABBZ000003, BABBZ000004, JJBMD4000, BABBZ000005, BABBZ
(drawings, calculations, test reports, etc.)

Declared before me at Notary public in the Ban-chiao Dist. Govt of Taiwan
 the 21 day of January AD 2011

Commissioner for Oaths:

(Printed name)

(Signature)

SHUN-TIEN FAN

(Signature of Declarer)

FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, and CSA Standard B51 and is accepted for registration in Category C1

CRN: OC14175.5

Registered by: MARK VALCIC, P.ENG.

Dated: FEB. 9, 2011

NOTE: This registration expires on FEB. 9, 2021

Technical Standards and Safety Authority **Boilers and Pressure Vessels Safety Program**

REGISTERED

C.R.N.: OC14175.5

Signed: G. Valcic

Date: FEB. 9, 2011

NOTE: SEE THE ATTACHMENT FOR THE SCOPE OF REGISTRATION.
 G. Valcic - Feb 9/11


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

~~NEW BRUNSWICK~~
~~NUNAVUT~~

~~NOVA SCOTIA~~
~~YUKON~~

~~PRINCE EDWARD ISLAND~~
~~NORTHWEST TERRITORIES~~

~~NEWFOUNDLAND AND LABRADOR~~

MANUFACTURERS NAME: JDV CONTROL VALVES CO., LTD.	
MANUFACTURERS ADDRESS: NO. 2-2, LANE 292, SHIN NUNG RD., SHIN WU TOWN, TAO YUAN HSIEN 327, TAIWAN R.O.C.	
PLANT LOCATIONS: NO. 2-2, LANE 292, SHIN NUNG RD., SHIN WU TOWN, TAO YUAN HSIEN 327, TAIWAN R.O.C.	
<p align="center">CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting AECB or ASME requirements)</p>	<p align="center">TITLE OF THE STANDARD OF CONSTRUCTION</p> <p>ANSI B16.34/16.10/16.5 API 598 API 607 API 6FA API 6D ISA S75.04</p>
<p>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> 	<p align="center">TYPE OF CONSTRUCTION</p> <p>FORGED <input checked="" type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:</p>
<p>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</p> <p>JJBMD1000,BABBZ000001,BABBZ000002,JJBMD2000,BABBZ000003,BABBZ000004,JJBMD4000,BABBZ000005,BABBZ000006 JJBCB4001,JJBCF4001,JJBCD4001,BABCZ000001,BABCZ000002 JJBTB1000-1,JJBTB1000-2,JJBTB2000-1, JJBTB2000-2,JJBTB4000-1,JJBTB4000-2,BZBZ000001,BZBZ000002 JJQB1000-1,JJQB1000-2,JJQTB2000-1,JJQB2000-2,JJQB4000-1,JJQB4000-2 JJDLA2000, JJDIB2000</p>	

DECLARATION:
 I Shun-Tien Fan (see note 3) employed by JDV Control Valves Co., Ltd. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001:2008 / DNV as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: SHUN-TIEN FAN

Declared before me at _____
 This 21 day of January AD 2011
 Commissioner of Oaths
 or Notary Public: (sign) _____

USE THIS SPACE FOR THE
OFFICIAL SEAL

(Affix Official seal to the right)

<p align="center">This space for Regulatory Authority use</p> <p align="center">This registration must be revalidated after ten (10) years from the date of acceptance.</p> <p>CRN: <u>0C14175.5</u> FID#: <u>2833</u></p> <p>Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.</p>	<p>ACCEPTED</p> <p>PROVINCE OF PRINCE EDWARD ISLAND ENVIRONMENT, ENERGY & FORESTRY</p> <p>C.R.N. <u>0C14175.5-9</u> DATE: <u>March 11/11</u></p> <p>INSPECTION SERVICES SECTION BOILER/PRESSURE VESSEL BRANCH</p>
--	---


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: JDV CONTROL VALVES CO., LTD.	
MANUFACTURERS ADDRESS: NO. 2-2, LANE 292, SHIN NUNG RD., SHIN WU TOWN, TAO YUAN HSIEN 327, TAIWAN R.O.C.	
PLANT LOCATIONS: NO. 2-2, LANE 292, SHIN NUNG RD., SHIN WU TOWN, TAO YUAN HSIEN 327, TAIWAN R.O.C.	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION ANSI B16.34/16.10/16.5 API 598 API 607 API 6FA API 6D ISA S75.04 B16.34/16.10/16.5
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT 	TYPE OF CONSTRUCTION FORGED <input checked="" type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: JJBMD1000,BABBZ000001,BABBZ000002,JJBMD2000,BABBZ000003,BABBZ000004,JJBMD4000,BABBZ000005,BABBZ000006 JJBCB4001,JJBCF4001,JJBCE4001,BABCZ000001,BABCZ000002 JJBTB1000-1,JJBTB1000-2,JJBTB2000-1,JJBTB2000-2,JJBTB4000-1,JJBTB4000-2,BZBZ000001,BZBZ000002 JJBQB1000-1,JJBQB1000-2,JJQTB2000-1,JJBQB2000-2,JJBQB4000-1,JJBQB4000-2 JJDA2000, JJDIB2000	

DECLARATION:

I, Shun-Tien Fan (see note 3) employed by JDV Control Valves Co., Ltd. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001:2008 / DNV as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: SHUN-TIEN FAN

Declared before me at _____

This 21 day of January AD 2011

Commissioner of Oaths or Notary Public: (sign) _____

USE THIS SPACE FOR THE OFFICIAL SEAL

(Affix Official seal to the right)

This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OC14175.5

FID#: 2833

Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

