



2018 Replicated Corn Summary
C4 Maturity Group
92-102 day

PAEP East Petersburg, PA PAMB Middleburg, PA
PAMA Manheim, PA PAWT Watstown, PA
PARD Reedsville, PA NYLY Lyons, NY

Location	Hybrid	Maturity/ Trait	Yield	Moisture	Test Wt	Y/M ratio	Stalk Lodging	Root Lodging	Pop	% of Ave	% of Ave	% of Ave	% of Ave	% of Ave	\$/Ac vs. Loc Mean	
										Yield	Moisture	Test Wt	Y/M	Pop		
6	PAEP	5469	0	202.0	14.4	55.9	14.0	0.0%	0.0%	35000	96.4%	93.7%	96.5%	106.0%	102.8%	\$ (18.94)
9	PARD	5469	0	147.2	15.4	55.0	9.6	0.0%	0.0%	34000	86.2%	89.1%	95.7%	96.5%	104.3%	\$ (78.42)
10	PAMB	5469	0	205.1	14.1	56.9	14.6	0.0%	0.0%	36000	97.1%	95.8%	97.8%	101.1%	106.1%	\$ (19.21)
11	PAWT	5469	0	140.4	13.9	55.0	10.1	38.9%	0.0%	35500	87.8%	91.5%	99.1%	96.1%	106.6%	\$ (67.02)
12	NYLY	5469	0	215.5	15.3	55.5	14.1	0.0%	0.0%	33000	102.0%	93.3%	98.4%	109.1%	103.7%	\$ 23.34
5		5469		182.0	14.6	55.7	12.5	7.8%	0.0%	34700	93.9%	92.7%	97.5%	101.8%	104.7%	\$ (32.05)
6	PAEP	5695	0	199.9	16.0	57.3	12.5	0.0%	0.0%	34000	95.4%	104.1%	99.0%	94.8%	99.8%	\$ (36.42)
9	PARD	5695	0	190.3	18.3	57.1	10.4	0.0%	0.0%	32000	111.4%	105.7%	99.2%	105.3%	98.2%	\$ 67.01
10	PAMB	5695	0	233.5	15.8	58.0	14.8	0.0%	0.0%	35750	110.5%	107.3%	99.6%	102.9%	105.4%	\$ 76.45
11	PAWT	5695	0	183.2	16.0	55.0	11.5	20.7%	0.0%	30750	114.7%	105.0%	99.0%	109.1%	92.4%	\$ 84.42
12	NYLY	5695	0	215.4	16.3	56.5	13.2	0.0%	0.0%	32000	102.0%	99.2%	100.2%	102.6%	100.5%	\$ 16.83
5		5695		204.5	16.5	56.8	12.5	4.1%	0.0%	32900	106.8%	104.3%	99.4%	102.9%	99.3%	\$ 41.66
6	PAEP	6165	0	218.5	15.7	57.8	14.0	2.0%	0.0%	33167	104.2%	101.7%	99.8%	105.7%	97.4%	\$ 35.47
7	PAMA	6165	0	218.7	17.8	56.6	12.3	0.0%	0.0%	32000	106.4%	103.5%	99.3%	103.2%	99.3%	\$ 45.13
8	PAMC	6165	0	163.2	17.8	56.0	9.3	15.3%	0.0%	28636	93.1%	107.9%	99.4%	85.7%	102.7%	\$ (52.11)
9	PARD	6165	0	200.3	17.3	57.7	11.6	3.2%	0.0%	31000	117.3%	100.2%	100.4%	116.8%	95.1%	\$ 109.31
10	PAMB	6165	0	202.4	15.1	57.6	13.4	1.5%	0.0%	33000	95.8%	102.4%	99.0%	93.3%	97.3%	\$ (35.52)
11	PAWT	6165	0	155.4	16.5	55.0	9.4	59.3%	0.0%	32500	97.3%	108.7%	99.1%	89.6%	97.6%	\$ (22.08)
12	NYLY	6165	0	223.2	16.0	56.3	14.0	0.0%	0.0%	32000	105.7%	97.3%	99.8%	108.3%	100.5%	\$ 47.72
7		6165		197.4	16.6	56.7	12.0	11.6%	0.0%	31758	102.8%	103.1%	99.5%	100.4%	98.6%	\$ 18.27
6	PAEP	7402	0	185.4	16.5	58.7	11.3	0.0%	0.0%	33500	88.5%	107.2%	101.4%	85.5%	98.4%	\$ (93.04)
7	PAMA	7402	0	203.1	17.6	58.8	11.6	0.0%	0.0%	30000	98.8%	102.0%	103.1%	97.2%	93.1%	\$ (10.77)
8	PAMC	7402	0	180.6	17.5	58.2	10.3	9.9%	0.0%	27727	103.0%	106.0%	103.3%	95.7%	99.4%	\$ 13.54
9	PARD	7402	0	197.8	18.7	58.9	10.6	8.8%	0.0%	34000	115.8%	108.2%	102.4%	106.8%	104.3%	\$ 91.72
10	PAMB	7402	0	215.2	15.1	59.1	14.2	0.0%	0.0%	34750	101.9%	102.9%	101.5%	98.9%	102.4%	\$ 12.45
11	PAWT	7402	0	169.8	16.7	58.4	10.2	34.2%	0.0%	34000	106.3%	110.0%	105.1%	96.9%	102.1%	\$ 30.60
12	NYLY	7402	0	183.5	16.4	57.8	11.2	8.1%	0.0%	31000	86.9%	100.1%	102.6%	86.6%	97.4%	\$ (103.06)
7		7402		190.8	16.9	58.5	11.3	8.7%	0.0%	32140	100.1%	105.2%	102.8%	95.4%	99.6%	\$ (8.37)
6	PAEP	7441	0	184.9	15.3	57.7	12.1	3.5%	0.0%	36667	88.2%	99.4%	99.7%	91.9%	107.7%	\$ (88.20)
8	PAMC	7441	0	140.9	15.7	56.9	9.0	25.4%	0.0%	26136	80.3%	94.9%	101.1%	83.4%	93.7%	\$ (125.39)
9	PARD	7441	0	119.5	16.9	57.6	7.1	54.5%	0.0%	33000	70.0%	97.7%	100.1%	71.4%	101.2%	\$ (187.72)
10	PAMB	7441	0	200.0	14.2	57.6	14.1	0.8%	0.0%	31500	94.7%	96.9%	99.0%	97.6%	92.9%	\$ (39.44)
11	PAWT	7441	0	157.8	15.5	53.2	10.1	37.0%	0.0%	34500	98.8%	102.1%	95.9%	96.5%	103.6%	\$ (8.28)
12	NYLY	7441	0	221.0	15.9	56.6	13.9	3.0%	0.0%	32500	104.6%	96.8%	100.3%	107.8%	102.1%	\$ 40.10
6		7441		170.7	15.6	56.6	11.0	20.7%	0.0%	32384	89.4%	98.0%	99.4%	91.4%	100.2%	\$ (68.15)
6	PAEP	7542	0	248.0	17.0	58.7	14.6	0.0%	0.0%	35000	118.3%	110.3%	101.5%	110.8%	102.8%	\$ 136.13
7	PAMA	7542	0	257.1	18.1	57.8	14.2	0.0%	0.0%	36000	125.1%	105.4%	101.4%	119.2%	111.7%	\$ 184.17
8	PAMC	7542	0	228.2	17.2	56.1	13.3	18.3%	0.0%	27273	130.1%	103.9%	99.7%	123.2%	97.8%	\$ 191.53
9	PARD	7542	0	215.8	19.4	56.5	11.1	0.0%	0.0%	37000	126.4%	111.9%	98.2%	112.6%	113.5%	\$ 153.61
10	PAMB	7542	0	240.2	16.1	58.6	14.9	0.0%	0.0%	35750	113.7%	109.7%	100.7%	103.4%	105.4%	\$ 99.29
11	PAWT	7542	0	166.2	16.8	55.6	10.0	39.6%	0.0%	35750	104.0%	110.3%	100.1%	95.1%	107.4%	\$ 16.76
12	NYLY	7542	0	230.1	17.4	56.6	13.2	0.0%	0.0%	32000	108.9%	106.1%	100.3%	102.5%	100.5%	\$ 63.53
7		7542		226.5	17.4	57.1	13.1	8.3%	0.0%	34110	118.1%	108.2%	100.3%	109.5%	105.6%	\$ 120.72
6295RDP																
8	PAMC	7515	0	168.8	14.5	55.9	11.6	4.2%	0.0%	26591	96.3%	88.1%	99.3%	107.7%	95.3%	\$ (14.98)
9	PARD	7515	0	165.6	15.0	59.0	11.0	0.0%	0.0%	35000	96.9%	86.9%	102.7%	111.0%	107.4%	\$ (7.67)
10	PAMB	7515	0	198.8	13.7	58.8	14.5	0.7%	0.0%	33250	94.1%	93.5%	101.1%	100.5%	98.0%	\$ (40.98)
11	PAWT	7515	0	136.4	13.4	55.1	10.2	22.6%	0.0%	33250	85.4%	88.3%	99.3%	96.9%	99.9%	\$ (79.92)
12	NYLY	7515	0	201.0	15.6	57.3	12.9	1.5%	0.0%	33500	95.2%	95.1%	101.6%	99.9%	105.2%	\$ (32.93)
5		7515		174.1	14.5	57.2	12.0	5.8%	0.0%	32318	93.6%	90.4%	100.8%	103.2%	101.2%	\$ (35.30)
6	PAEP	7620	0	194.8	15.4	58.8	12.7	0.0%	0.0%	36333	93.0%	99.9%	101.5%	96.0%	106.7%	\$ (51.48)
8	PAMC	7620	0	174.6	16.1	55.7	10.9	14.9%	0.0%	27727	99.5%	97.3%	99.0%	100.9%	99.4%	\$ (1.11)
9	PARD	7620	0	163.1	15.7	58.7	10.4	8.8%	0.0%	34000	95.5%	90.8%	102.1%	105.0%	104.3%	\$ (20.28)
10	PAMB	7620	0	204.2	14.4	58.9	14.2	0.0%	0.0%	35000	96.6%	97.9%	101.3%	98.6%	103.2%	\$ (24.45)
11	PAWT	7620	0	140.4	13.5	55.9	10.4	23.7%	0.0%	32000	87.8%	88.7%	100.8%	99.2%	96.1%	\$ (65.18)
12	NYLY	7620	0	229.4	16.8	57.2	13.7	0.0%	0.0%	32500	108.6%	102.2%	101.5%	106.1%	102.1%	\$ 65.44
6		7620		184.4	15.3	57.5	12.0	7.9%	0.0%	32927	96.8%	96.1%	101.0%	101.0%	102.0%	\$ (16.18)
6	PAEP	7710	0	202.8	16.7	57.8	12.1	0.0%	0.0%	32333	96.8%	108.7%	99.8%	91.7%	95.0%	\$ (29.75)
8	PAMC	7710	0	191.5	16.5	56.2	11.6	7.7%	0.0%	29545	109.2%	100.2%	99.9%	107.3%	105.9%	\$ 59.19
9	PARD	7710	0	170.5	17.9	58.3	9.5	0.0%	0.0%	33000	99.8%	103.3%	101.3%	96.3%	101.2%	\$ (3.71)
10	PAMB	7710	0	210.1	14.6	57.8	14.3	0.7%	0.0%	34000	99.4%	99.6%	99.3%	99.6%	100.2%	\$ (3.87)
12	NYLY	7710	0	217.1	16.3	55.9	13.3	0.0%	0.0%	33500	102.8%	99.5%	99.1%	103.0%	105.2%	\$ 22.60
5		7710		198.4	16.4	57.2	12.2	1.7%	0.0%	32476	101.6%	102.2%	99.9%	99.6%	101.5%	\$ 8.89

6	PAEP	7718	0	210.3	17.0	59.0	12.4	0.0%	0.0%	36167	100.3%	110.2%	101.9%	94.1%	106.2%	\$ (3.43)
10	PAMB	7718	0	222.0	16.4	58.2	13.6	0.0%	0.0%	35750	105.1%	111.3%	100.0%	94.2%	105.4%	\$ 29.67
11	PAWT	7718	0	182.1	15.9	56.4	11.4	2.1%	0.0%	35500	114.0%	104.9%	101.6%	108.6%	106.6%	\$ 80.34
12	NYLY	7718	0	225.3	17.0	57.1	13.3	0.0%	0.0%	31500	106.7%	103.6%	101.2%	102.8%	99.0%	\$ 48.50
4		7718		209.9	16.6	57.7	12.7	0.5%	0.0%	34729	106.5%	107.5%	101.2%	99.9%	104.3%	\$ 38.77
6	PAEP	7721	0	203.5	15.5	56.3	13.1	0.0%	0.0%	34667	97.1%	100.6%	97.3%	99.5%	101.8%	\$ (19.69)
7	PAMA	7721	0	202.2	18.1	54.4	11.2	0.0%	0.0%	32500	98.4%	105.0%	95.4%	94.1%	100.8%	\$ (16.97)
8	PAMC	7721	0	168.3	15.0	56.5	11.2	15.4%	0.0%	29091	95.9%	90.8%	100.3%	103.9%	104.3%	\$ (19.37)
9	PARD	7721	0	173.4	16.1	57.7	10.8	8.6%	0.0%	35000	101.5%	92.9%	100.3%	109.0%	107.4%	\$ 16.58
10	PAMB	7721	0	205.1	14.0	58.5	14.7	0.0%	0.0%	35750	97.1%	95.2%	100.5%	101.8%	105.4%	\$ (18.54)
11	PAWT	7721	0	158.8	13.7	55.0	11.6	14.7%	0.0%	34000	99.4%	90.3%	99.1%	110.3%	102.1%	\$ 4.00
12	NYLY	7721	0	239.3	15.9	57.2	15.0	0.0%	0.0%	32500	113.3%	97.1%	101.4%	116.4%	102.1%	\$ 108.12
7		7721		193.0	15.5	56.5	12.5	5.5%	0.0%	33358	100.4%	96.0%	99.2%	105.0%	103.4%	\$ 7.73
6	PAEP	7723	0	227.0	16.7	56.7	13.7	0.0%	0.0%	32000	108.3%	108.4%	97.9%	103.5%	94.0%	\$ 60.47
8	PAMC	7723	0	131.4	23.1	53.1	5.6	23.0%	0.0%	27727	74.9%	140.2%	94.3%	52.2%	99.4%	\$ (190.41)
9	PARD	7723	0	177.6	18.6	56.9	9.5	10.7%	0.0%	28000	104.0%	107.6%	99.0%	96.4%	85.9%	\$ 18.65
11	PAWT	7723	0	148.7	14.8	52.9	10.0	8.5%	0.0%	32500	93.1%	97.6%	95.3%	95.1%	101.0%	\$ (39.48)
12	NYLY	7723	0	191.1	16.6	56.1	11.5	10.7%	0.0%	28500	90.5%	101.0%	99.4%	89.4%	89.5%	\$ (75.51)
5		7723		175.2	18.0	55.1	10.1	10.6%	0.0%	29745	94.2%	111.0%	97.2%	87.3%	93.3%	\$ (45.25)
6	PAEP	7863	0	213.2	14.9	59.5	14.3	0.5%	0.0%	35333	101.7%	96.8%	102.7%	108.2%	103.8%	\$ 20.27
7	PAMA	7863	0	201.3	16.8	56.5	12.0	0.0%	0.0%	33500	97.9%	97.5%	99.1%	100.9%	103.9%	\$ (12.50)
8	PAMC	7863	0	185.4	15.5	57.2	11.9	25.5%	0.0%	27727	105.7%	94.2%	101.5%	110.5%	99.4%	\$ 41.89
9	PARD	7863	0	152.5	16.2	57.9	9.5	12.5%	0.0%	32000	89.3%	93.5%	100.6%	95.5%	98.2%	\$ (61.90)
10	PAMB	7863	0	214.3	14.2	57.9	15.1	0.0%	0.0%	35250	101.4%	96.4%	99.4%	105.1%	103.9%	\$ 15.16
11	PAWT	7863	0	151.8	14.6	57.6	10.4	21.9%	0.0%	34000	95.0%	96.1%	103.9%	99.0%	102.1%	\$ (26.64)
12	NYLY	7863	0	205.2	16.1	56.8	12.7	0.0%	0.0%	31000	97.2%	98.1%	100.7%	98.8%	97.4%	\$ (20.26)
7		7863		189.1	15.5	57.6	12.3	8.6%	0.0%	32687	98.3%	96.1%	101.1%	102.6%	101.2%	\$ (6.28)
8	PAMC	7809	0	195.5	16.7	56.5	11.7	0.8%	0.0%	29318	111.5%	101.1%	100.3%	108.7%	105.1%	\$ 73.36
9	PARD	7809	0	197.6	16.2	57.4	12.2	0.0%	0.0%	33000	115.7%	93.4%	99.8%	123.5%	101.2%	\$ 106.34
10	PAMB	7809	0	216.4	14.5	57.7	14.9	0.0%	0.0%	34250	102.4%	98.7%	99.1%	103.5%	101.0%	\$ 20.65
11	PAWT	7809	0	180.5	15.3	55.7	11.8	16.2%	0.0%	30750	112.9%	100.4%	100.4%	112.6%	92.4%	\$ 77.90
12	NYLY	7809	0	223.5	17.0	55.8	13.2	0.0%	0.0%	33000	105.8%	103.5%	98.9%	102.2%	103.7%	\$ 42.17
5		7809		202.7	15.9	56.6	12.8	3.4%	0.0%	32064	109.7%	99.4%	99.7%	110.1%	100.7%	\$ 64.08
6	PAEP	7752	0	216.7	15.5	58.3	14.0	0.5%	0.0%	35667	103.4%	100.6%	100.7%	106.1%	104.7%	\$ 29.66
7	PAMA	7752	0	221.8	16.7	58.0	13.3	0.0%	0.0%	33000	107.9%	97.0%	101.7%	111.7%	102.4%	\$ 64.12
8	PAMC	7752	0	164.3	15.2	55.5	10.8	12.7%	0.0%	26591	93.7%	92.0%	98.6%	100.2%	95.3%	\$ (35.21)
9	PARD	7752	0	190.5	16.5	57.7	11.6	21.2%	0.0%	33000	111.5%	95.1%	100.4%	117.0%	101.2%	\$ 77.93
10	PAMB	7752	0	211.6	14.2	57.9	14.9	0.8%	0.0%	33000	100.1%	96.4%	99.4%	103.7%	97.3%	\$ 4.78
12	NYLY	7752	0	195.0	16.2	56.3	12.0	0.0%	0.0%	30500	92.3%	98.8%	99.9%	93.3%	95.8%	\$ (58.99)
7		7752		200.0	15.7	57.3	12.8	5.9%	0.0%	31960	101.5%	96.7%	100.1%	105.3%	99.5%	\$ 13.72
6	PAEP	7904	0	178.7	16.1	57.6	11.1	2.3%	0.0%	33000	85.3%	104.5%	99.5%	84.1%	96.9%	\$ (115.88)
7	PAMA	7904	0	188.0	15.9	56.3	11.8	0.0%	0.0%	30500	91.5%	92.7%	98.7%	99.4%	94.6%	\$ (57.14)
8	PAMC	7904	0	157.6	16.0	57.4	9.9	13.5%	0.0%	27727	89.9%	96.7%	102.0%	91.6%	99.4%	\$ (64.14)
9	PARD	7904	0	166.6	16.8	58.9	9.9	9.1%	0.0%	33000	97.5%	97.3%	102.5%	99.9%	101.2%	\$ (12.77)
10	PAMB	7904	0	203.8	14.4	59.9	14.1	0.0%	0.0%	32750	96.5%	98.1%	102.9%	98.1%	96.5%	\$ (26.20)
11	PAWT	7904	0	157.8	14.5	57.2	10.9	43.4%	0.0%	30000	98.7%	95.1%	103.0%	103.9%	90.1%	\$ (3.55)
12	NYLY	7904	0	212.2	16.7	57.8	12.7	0.0%	0.0%	33000	100.5%	102.0%	102.5%	98.5%	103.7%	\$ 1.86
7		7904		180.7	15.8	57.9	11.5	9.8%	0.0%	31425	94.3%	98.1%	101.6%	96.5%	97.5%	\$ (39.69)
6	PAEP	7908	0	196.3	14.9	57.3	13.1	2.3%	0.8%	33250	93.7%	96.7%	98.9%	99.6%	97.6%	\$ (43.12)
7	PAMA	7908	0	173.3	16.0	56.7	10.9	0.0%	0.0%	30000	84.3%	92.9%	99.5%	91.2%	93.1%	\$ (112.28)
8	PAMC	7908	0	209.0	15.7	56.8	13.3	7.0%	0.0%	25909	119.1%	95.3%	100.9%	123.1%	92.9%	\$ 129.21
9	PARD	7908	0	170.6	15.7	56.5	10.8	27.3%	0.0%	33000	99.9%	91.0%	98.3%	109.4%	101.2%	\$ 7.53
10	PAMB	7908	0	232.2	14.0	58.5	16.6	0.0%	0.0%	34500	109.9%	95.2%	100.6%	115.2%	101.7%	\$ 84.03
11	PAWT	7908	0	169.3	15.4	55.2	11.0	29.0%	0.0%	35250	106.0%	101.1%	99.4%	104.9%	105.9%	\$ 35.51
12	NYLY	7908	0	230.4	16.5	56.6	14.0	1.6%	0.0%	31500	109.1%	100.4%	100.4%	108.4%	99.0%	\$ 71.21
7		7908		197.3	15.5	56.8	12.8	9.6%	0.1%	31916	103.1%	96.1%	99.7%	107.4%	98.8%	\$ 24.58
6	PAEP	8216	0	183.7	15.6	57.9	11.7	2.0%	0.0%	31333	87.7%	101.1%	100.1%	88.9%	92.0%	\$ (94.25)
7	PAMA	8216	0	196.6	17.2	58.6	11.4	0.0%	0.0%	29000	95.6%	100.1%	102.8%	96.0%	90.0%	\$ (32.67)
8	PAMC	8216	0	159.5	16.3	55.8	9.8	23.2%	0.0%	29318	90.9%	99.1%	99.0%	90.4%	105.1%	\$ (58.96)
10	PAMB	8216	0	177.6	14.5	58.2	12.2	5.6%	0.0%	35250	84.0%	98.6%	100.1%	85.1%	103.9%	\$ (125.88)
12	NYLY	8216	0	205.1	16.7	56.8	12.3	0.0%	0.0%	33500	97.1%	102.0%	100.6%	95.0%	105.2%	\$ (24.51)
5		8216		184.5	16.1	57.5	11.5	6.2%	0.0%	31680	91.1%	100.2%	100.5%	91.1%	99.3%	\$ (67.25)
6	PAEP	8007	0	251.4	17.0	59.0	14.8	0.0%	0.0%	35000	119.9%	110.6%	101.9%	112.0%	102.8%	\$ 148.39
8	PAMC	8007	0	205.1	16.8	57.4	12.2	6.2%	0.0%	29545	116.9%	101.7%	102.0%	113.2%	105.9%	\$ 108.15
9	PARD	8007	0	211.5	18.3	58.9	11.6	8.8%	0.0%	34000	123.8%	105.8%	102.4%	116.7%	104.3%	\$ 144.50
10	PAMB	8007	0	234.5	15.6	60.6	15.0	0.7%	0.0%	33750	111.0%	106.3%	104.1%	104.2%	99.5%	\$ 81.28
11	PAWT	8007	0	175.9	17.0	57.6	10.3	73.3%	0.0%	32750	110.1%	112.1%	103.7%	98.6%	98.4%	\$ 51.41
12	NYLY	8007	0	216.7	16.4	57.5	13.2	0.0%	0.0%	34500	102.6%	100.0%	102.0%	102.4%	108.4%	\$ 20.72
7		8007		215.8	16.9	58.5	12.9	14.8%	0.0%	33258	114.1%	106.1%	102.7%	107.8%	103.2%	\$ 92.41
6	PAEP	8254	0	227.1	15.4	57.9	14.8	2.0%	0.0%	34333	108.3%	99.8%	100.0%	111.9%	100.8%	\$ 69.52
8	PAMC	8254	0	158.7	14.8	55.7	10.7	16.2%	0.0%	27500	90.5%	89.6%	98.8%	99.5%	98.6%	\$ (54.61)
9	PARD	8254	0	143.0	16.5	57.4	8.6	35.3%	0.0%	34000	83.7%	95.5%	99.8%	87.3%	104.3%	\$ (98.91)
10	PAMB	8254	0	230.1	14.3	59.1	16.0	0.0%	0.0%	34750	108.9%	97.5%	101.5%	111.3%	102.4%	\$ 73.83
12	NYLY	8254	0	215.6	16.4	55.8	13.1	0.0%	0.0%	33000	102.1%	100.0%	98.9%	101.9%	103.7%	\$ 16.49
5		8254		194.9	15.5	57.2	12.7	10.7%	0.0%	32717	98.7%	96.5%	99.8%	102.4%	102.0%	\$ 1.26