### Centerline, Inc.

513 E. Wisconsin Avenue Appleton, WI 54911 Phone (920) 730-0615 Fax (920) 730-0622 E-mail info@ctrline.net Website www.ctrline.net



# VIBXPERT® II Balancer

Field balancing – simple – fast – accurate



### Field balancing the intelligent way

#### VIBXPERT® II Balancer


VIBXPERT® II Balancer is a high performance, full-featured portable measurement device for field balancing of rotating machinery in one plane or two planes. In addition to the balancing procedure, the device provides vibration analyses, resonance tests and phase measurements to support the diagnosis of an imbalance and to determine the optimum operating conditions for your machine.

VIBXPERT® II Balancer can be upgraded by password to the award-winning VIBXPERT® II FFT data collector & signal analyzer.

#### **Analysis functions**

- Overall values and process parameters
- ▶ Time waveform
- Amplitude spectrum
- ▶ Envelope acceleration spectrum
- Phase including recording
- ▶ Bump test, 1-channel
- Coast-down/run-up test
- ▶ ISO standards for evaluation






A fitting program for every balancing task



Every step of the balancing procedure is explained.



Vibration analyses help you identify and eliminate machine faults.



One- or two-channel coast-down test with RMS, amplitude or waterfall.

VIBXPERT® is a registered trademarks of PRÜFTECHNIK Dieter Busch AG. No copying or reproduction of this information, in any form whatsoever, may be undertaken without express written permission of PRÜFTECHNIK Dieter Busch AG. The information contained in this leaflet is subject to change without further notice due to the PRÜFTECHNIK policy of continuous product development. PRÜFTECHNIK products are subject to patents granted or pending throughout the world. ISO 9001:2008 certified.

© Copyright 2014 by PRÜFTECHNIK Dieter Busch AG.

### Centerline, Inc.

513 E. Wisconsin Avenue Appleton, WI 54911 Phone (920) 730-0615 Fax (920) 730-0622 E-mail <u>info@ctrline.net</u> Website www.ctrline.net



PRÜFTECHNIK
Condition Monitoring GmbH
Oskar-Messter-Str. 19-21
85737 Ismaning, Germany
Tel.: +498999616-0

Fax: +498999616-300 eMail: info@pruftechnik.com

www.pruftechnik.com

513 E. Wisconsin Avenue Appleton, WI 54911 Website: www.ctrline.net



Phone: (920) 730-0615 Fax: (920) 730-0622 E-mail: info@ctrline.net

## **BALANCING WEIGHTS & ACCESSORIES**

Carrying Case CC-110

#### COMPLETE KITS & STARTER KITS

#### Starter Kits include

Squirrel Cage Clips (300 pieces), Steel C-Clamps (28 pieces) Airfoil Clips (60 pieces), Glass Bead Reflective Tape, Carrying Case

Part No. SK-110: \$640.00

Part No. SK-500: \$690.00

#### Complete Kits include

Same as Starter Kit plus Backward Incline Clips (205 pieces)

Part No. PRO-110: \$820.00 Part No. PRO-500: \$870.00



Carrying Case CC-500



### **SQUIRREL CAGE CLIPS**

The standard Squirrel Cage Clips have a slight curve and are designed for balancing fans with a curved blade.

Squirrel Cage Clips sold in packs of 25 or 100, or as a complete set (Part No. FSBC-100).

#### **EXTRA TIGHT CURVE CLIPS**

These clips have been designed with a tighter radius to fit securely on a smaller squirrel cage fan. These are available in three different weights and two finishes for more flexibility and design for your finished product.

Extra Tight Curve Clips sold in packs of 25 or 100.







#### **C-CLAMP WEIGHTS**

The C-Clamps can be used as trial weights or permanent correction weights on vane axial flow fans and squirrel cage fans. The clamps have a serrated surface opposite the set screws to further secure the balancing weight. They are available in aluminum, steel, stainless steel and double-sided.

C-Clamp weights sold individually, or as a complete set (Part No. SC-KIT).





#### **BACKWARD INCLINE CLIPS**


The Backward Incline Clips are flat in shape and are designed for balancing flat bladed fans such as most backward incline fans. Available in extra wide and stainless steel as well.

Backward Incline Clips sold in packs of 25 or 100, or as a complete set (Part No. FSRIC-100).

#### **AIRFOIL CLIPS**

Air foil clips are used on blowers manufactured by companies such as Trane, Carrier, Twin City, New York and Chicago Blower. They have a 3/4" opening or throat size. The average depth of the clips is 1.1 inch. These clips are available in a Standard throat size of 3/4" or as Extra Wide with a throat size of 1.2" or as Narrow with a throat size of 0.54". We also offer Teflon coated clips for added chemical resistance.

Airfoil clips sold in packs of 10, or as a complete set (Part No. AFC-KIT).





Phone: (920) 730-0615 Fax: (920) 730-0622 E-mail: info@ctrline.net

To request and order form, please call or email (info in header above) or use this link: <a href="http://www.ctrline.net/request-information.html">http://www.ctrline.net/request-information.html</a>

				Squirrel	Cage Clips				
Wt. (grams)	Part No.	\$ (25 Pack)	Part No.	\$ (100 Pack)	Wt. (grams)	Part No.	\$ (25 Pack)	Part No.	\$ (100 Pack)
0.2	1BC-0.2	14.00	2BC-0.2	37.00	2.4	1BC-2.4	17.00	2BC-2.4	41.00
0.4	1BC-0.4	14.00	2BC-0.4	37.00	3.3	1BC-3.3	17.00	2BC-3.3	41.00
0.6	1BC-0.6	16.00	2BC-0.6	39.00	4.9	1BC-4.9	20.00	2BC-4.9	45.00
0.8	1BC-0.8	16.00	2BC-0.8	39.00	6.5	1BC-6.5	22.00	2BC-6.5	51.00
1.0	1BC-1.0	16.00	2BC-1.0	39.00	9.8	1BC-9.8	25.00	2BC-9.8	66.00
1.6	1BC-1.6	16.00	2BC-1.6	39.00	13.0	1BC-13.0	27.00	2BC-13.0	69.00
	Pa	art No. ESBC-100	: Complete Set o	Squirrel Cage Cl	ins: 1.200 pieces	(100 ea. 0.2 to 13	.0 grams) \$435	.00	
		d Extra Tight Cur			Black Extra Tight Curve Clips				
Wt. (grams)	Part No.	\$ (25 Pack)	Part No.	\$ (100 Pack)	Wt. (grams)	Part No.	\$ (25 Pack)	Part No.	\$ (100 Pack)
0.17	1BCC-0.17	14.00	2BCC-0.17	39.00	0.17	1BCCB-0.17	14.00	2BCCB-0.1	
0.28	1BCC-0.28	14.00	2BCC-0.28	39.00	0.28	1BCCB-0.28	14.00	2BCCB-0.2	
0.34	1BCC-0.34	14.00	2BCC-0.34	39.00	0.34	1BCCB-0.34	14.00	2BCCB-0.3	4 39.00
				Backward I	ncline Clips				
Wt. (grams)	Part No.	\$ (25 Pack)	Part No.	\$ (100 Pack)	Wt. (grams)	Part No.	\$ (25 Pack)	Part No.	\$ (100 Pack)
0.05	1RIC-0.05	16.00	2RIC-0.05	39.00	3.6	1RIC-3.6	17.00	2RIC-3.6	45.00
0.1	1RIC-0.1	14.00	2RIC-0.1	37.00	5.0	1RIC-5.0	20.00	2RIC-5.0	48.00
0.25	1RIC-0.25	14.00	2RIC-0.25	37.00	7.0	1RIC-7.0	22.00	2RIC-7.0	50.00
0.5	1RIC-0.5	16.00	2RIC-0.5	39.00	14.0	1RIC-14.0	27.00	2RIC-14.0	
0.8 1.0	1RIC-0.8	16.00 16.00	2RIC-0.8	39.00 39.00	28.0 42.0	1RIC-28.0	46.00 65.00	2RIC-28.0 2RIC-42.0	
1.0	1RIC-1.0 1RIC-1.8	16.00	2RIC-1.0 2RIC-1.8	39.00	42.0 56.0	1RIC-42.0 1RIC-56.0	83.00	2RIC-42.0 2RIC-56.0	
1.6			<u>.                                    </u>				•		198.00
	Part	No. FSRIC-100:	Complete Set of I	Backward Incline	Clips: 1,100 piece	es (100 ea. 0.5 to	56.0 grams) \$7	45.00	
	Standard A	irfoil Clips	Teflon Coate	d Airfoil Clips	Extra Wide	Airfoil Clips	Extra Wide	Teflon Coated	Carrying
Wt. (ounces)	Part No.	\$ (10 Pack)	Part No.	\$ (10 Pack)	Part No.	\$ (10 Pack)	Part No.	\$ (10 Pack	Cases
0.125	AFC-0.125	18.00	TAFC-0.125	24.00		-			Part No.
0.25	AFC-0.25	18.00	TAFC-0.25	24.00	XWAFC-0.25	23.00	TXWAFC-0.25	33.00	CC-110
0.5	AFC-0.5	20.00	TAFC-0.5	26.00	XWAFC-0.5	25.00	TXWAFC-0.5	34.00	\$ 55.00 ea.
1.0	AFC-1.0	30.00	TAFC-1.0	37.00	XWAFC-1.0	33.00	TXWAFC-1.0	41.00	Part No.
1.5	AFC-1.5	37.00	TAFC-1.5	45.00					CC-500
2.0	AFC-2.0	40.00	TAFC-2.0	51.00					\$ 130.00 ea.
	Part	No. AFC-KIT: C	omplete Set of Sta	ndard Airfoil Cli	ps: 60 pieces. (10	each of 0.125 to	2.0 ounces) \$1	45.00	
Narrow Airfoil Clips			Reflective Tape Balancing Clip				p Installation and Removal Tools		
Wt. (ounces)	Part No.	\$ (10 Pack)	Part No.	\$ (Each)	Pari	t No.	\$ (Each)	Part No.	\$ (Each)
0.125	NAFC-0.125	21.00	GBRT	22.00		CIT	65.00	BCIT-SHOR	
0.25	NAFC-0.25	23.00	ODITI	22.00	ъ.		I head has a large		33.00
0.5	NAFC-0.5	25.00	1	Glass bead			et that holds the		
1.0	NAFC-1.0	31.00		reflective tape,			ght in place. An		
1.5	NAFC-1.5	40.00		½" wide by 5'	and a	extend	ed handle enables	For the BC-	0.2 clips to the BC-2.4
2.0	NAFC-2.0	43.00		long	The same	access	into tight areas.	and the RIC	-0.1 up to the RIC-3.6.
	Steel C-C	lamps	Stainless Ste	el C-Clamps	Double Sided	Steel C-Clamps	A	dhesive Backed	Weights
Wt. (ounces)	Part No.	\$ (Each)	Part No.	\$ (Each)	Part No.	\$ (Each)		Each)	Description
0.04	AC-0.04	9.00	T die ito:	y (Eddi)	Tureno	<del>y (Eddil)</del>	-		4x5g blocks (60g total)
0.1	AC-0.1	9.00							g blocks (84g total)
0.125			STSC-0.125	18.00					THIN blocks (84g total)
0.25	SC-0.25	10.00	STSC-0.25	18.00					g blocks (112g total)
0.5	SC-0.5	10.00	STSC-0.5	18.00			The Bulletin	sult to make to mile to Kee I	
0.75	SC-0.75	10.00	STSC-0.75	18.00			792 792 79	ou 1/4 oz 1/4 oz 1/4 oz 16. 7 gr. 7 gr. 7 gr. 7 gr.	Ton Ton 701 701
1.0	SC-1.0	10.00	STSC-1.0	18.00					
1.5	SC-1.5	10.00	STSC-1.5	18.00				Pocket Sca	ile
2.0	SC-2.0	11.00	STSC-2.0	20.00	DSSSC-2.0	14.00	Part No.	(Each)	Description
3.0	SC-3.0	11.00	STSC-3.0	20.00	DSSSC-3.0	14.00	-	135.00	
4.0	SC-4.0	11.00	STSC-4.0	20.00	DSSSC-4.0	14.00		Wei	ghs up to 500 g in 0.1 g
						*	1000		ements. Scale measures
5.0	SC-5.0	11.00	STSC-5.0	22.00	DSSSC-5.0	15.00	A		X 3" X 1". Two modes
6.0	SC-6.0	11.00	STSC-6.0	22.00	DSSSC-6.0	15.00		100	ams and ounces), tare
7.0	SC-7.0	11.00			DSSSC-7.0	15.00		19.00	d memory functions. cklit display with auto
8.0	SC-8.0	11.00	STSC-8.0	22.00	DSSSC-8.0	15.00			toff. 2 X AAA batteries
									included.
Part N	o. SC-KIT: Comple	ete Set of Steel C	-Clamps: 28 piece	s (2 each of 0.04	to 8.0 ounces) \$	250.00			

Prices are subject to change without notice.

**EFFECTIVE MAY 2019**