For questions or help determining shower size please visit

www.showersolutionsusa.com


or contact us at

402-245-3419

or


showersolutionsusa@sentco.net

Proud distributors of
Seachrome Shower Benches
and
Americh Barrier Free Shower Bases
Call or email for more information.





# PRODUCT CATALOG





### MAGNAFOLD SHOWER DOOR

The MagnaFold shower door is a safer alternative to glass doors. Our plastic panels flex and do not shatter as glass may.



Flexible TPO plastic panels have a U shape when the door is in the open position. with a flat, smooth look in the closed position.



The translucent white panels allow some light to filter into the shower area, great for showers and tubs which may be dimly



Flexible panels and rollers along the top and bottom track allow the door to collapse down to a fraction of the opening width. This is a great feature for RVs and showers where accessibility may be limited.



The MagnaFold Shower Door allows for ease of access into tubs as well. Here the door is approximately halfway open.

With the MagnaFold Shower Door fully collapsed and latched, there is plenty of room to get into and out of the shower or bathtub.

#### FEATURES

Door panel constructed with flexible TPO plastic

Full-length magnetic latching system

Wide access to shower or bath area

Spring-loaded roller system ensures smooth, quiet operation

Ventilated for quicker, worry-free drying


Most models available in single or double opening

Translucent panels allow light to filter through with white tinting for privacy

Aluminum frames available in Satin or Bright finish.

White or other colored frames available at an additional cost.

For a complete measuring guide and assistance please visit our website www.showersolutionsusa.com



la al al Nicosala au	Opening Width Range		Width of Collapsed
lodel Number	Min	Max	Door and Frame
MF 22*	20-9/16	22-5/16	6-3/4
MF 25*	23-9/16	25-5/16	6-3/4
MF 27	25-5/16	27-5/8	9
MF 28*	26-9/16	28-5/16	6-3/4
MF 30	28-5/16	30-5/8	9
MF 32*	29-1/16	31-13/16	7-3/4
MF 34	31-3/8	34-1/8	10
MF 35*	32-1/16	34-13/16	7-3/4
MF 37	34-3/8	37-1/8	10
MF 40	37-1/8	40-1/8	10
MF 43	40-3/8	43-1/8	10
MF 44	39-7/8	43-5/8	11
MF 47	42-7/8	46-5/8	11
MF 50	45-7/8	49-5/8	11
MF 53	48-7/8	52-5/8	11
MF 56	51-7/8	55-5/8	11
MF 60	54-3/8	59-1/8	12
MF 62	57-3/8	62-1/8	12
MF 65	60-3/8	65-1/8	12
MF 68	62-7/8	68-5/8	13
MF 71	65-7/8	71-5/8	13
MF 74	68-7/8	73-1/8	13

\* Door opens from one side determined during installation. All measurements are made in inches.

Door heights are made at every full inch from 55"-72".

To estimate walk through opening width, subtract width of collapsed door and frame from your opening width.

Other custom sizing options available. Please call for pricing.

**Custom built** to fit

your tub or shower



## MAGNAFOLD ELITE SHOWER DOOR

The MagnaFold ELITE doors provide a more finished and complete look with an added level of privacy. 



Our rigid PVC panels with flexible hinges create a V shape when folded and allow for tight collapsibility.



All of our panels fold inside of the tub or shower to contain any excess water within the tub or shower area.



Rollers along a top and bottom track along with two or four handles make the door easy to open and close from both the inside and the outside of the tub or shower.



Made with high quality aluminum framing and PVC panels, our doors are built to withstand countless uses with the proper care and cleaning.

The panels are a completely opaque white allowing for complete discreetness while in the shower or bathtub.

### FEATURES

Door panels made of rigid PVC with integrated flexible hinges Opaque panels for complete privacy Full-length magnetic latching system Wide access to shower or bath area Spring-loaded roller system ensures smooth, guiet operation Ventilated for quicker, worry-free drying

Most models available in single or double opening Aluminum frames available in Satin or Bright finish

White or other colored frames available at an additional cost.

For a complete measuring quide and assistance please visit our website www.showersolutionsusa.com



an additional cos	l.		
Model Number	Opening W Min	idth Range Max	Width of Collapsed Door and Frame
MFE 23*	21-1/16	22-13/16	6-3/4
MFE 24*	22-9/16	24-5/16	6-3/4
MFE 25	24-7/8	26-5/8	9
MFE 26*	24-13/16	26-9/16	7-3/4
MFE 28	26-3/8	28-1/8	9
MFE 33*	29-13/16	32-9/16	7-3/4
MFE 35*	32-13/16	35-9/16	7-3/4
MFE 36	33-5/8	36-3/8	10
MFE 37*	34-5/16	37-1/16	7-3/4
MFE 38	35-1/8	37-7/8	10
MFE 40	36-5/8	39-3/8	10
MFE 42*	38-9/16	42-5/16	8-3/4
MFE 44	40-7/8	44-5/8	11
MFE 48	43-7/8	47-5/8	11
MFE 50	46-7/8	50-5/8	11
MFE 54	49-5/8	54-3/8	12
MFE 56	51-1/8	55-7/8	12
MFE 58	52-5/8	57-3/8	12
MFE 60	54-1/8	58-7/8	12
MFE 61	55-5/8	60-3/8	12
MFE 62	57-1/8	61-7/8	12
MFE 64	58-3/8	64-1/8	13
MFE 67	61-3/8	67-1/8	13
MFE 70	64-3/8	70-1/8	13
MFE 73	65-3/8	73-1/8	13

<sup>\*</sup> Door opens from one side determined during installation. All measurements are made in inches.

Custom built to fit

your tub or shower

Door heights are made at every full inch from 55"-71".

To estimate walk through opening width, subtract width of collapsed door and frame from your opening width.

Other custom sizing options available. Please call for pricing.



## BARRIER FREE FOLDING SHOWER DOOR

The Barrier Free Folding Shower Door combines the MagnaFold ELITE shower door with the Barrier Free Shower Water Dam to create a seamless transition between shower and bathroom. The combination allows a wheel chair to enter the shower easily while still keeping water where it belongs, adding a level of accessibility to the shower without the worry of overflow.

Our Barrier Free Folding Shower Doors are used for both residential and commercial applications including schools and assisted living facilities.



Our Water Dam acts as the bottom track for the shower door to allow easy access with a low profile.





#### FEATURES

Same features as the MagnaFold ELITE shower door (see page 5) Bottom track is the Barrier Free Shower Water Dam (see page 11) **ADA Compliant** Water Dam only available in Bright finish

Only built for showers Beautiful, sleek appearance

Most models available in single opening or double opening

Fits showers from 25 inches to 73 inches

Made with our flexible MagnaFold **ELITE** shower panels, the Barrier Free Folding Shower Door provides ease of entry and complete privacy to offer a sleek and finished look with high functionality. Much more functional than a shower curtain, the water always stays inside the shower area.

	Opening Width Range		Width of Collapse
Model Number	Min	Max	Door and Frame
FBS 26*	24-13/16	26-9/16	7-3/4
FBS 28	26-3/8	28-1/8	9
FBS 33*	29-13/16	32-9/16	7-3/4
FBS 35*	32-13/16	35-9/16	7-3/4
FBS 36	33-5/8	36-3/8	10
FBS 37*	34-5/16	37-1/16	7-3/4
FBS 38	35-1/8	37-7/8	10
FBS 40	36-5/8	39-3/8	10
FBS 42*	38-9/16	42-5/16	8-3/4
FBS 44	40-7/8	44-5/8	11
FBS 48	43-7/8	47-5/8	11
FBS 50	46-7/8	50-5/8	11
FBS 54	49-5/8	54-3/8	12
FBS 56	51-1/8	55-7/8	12
FBS 58	52-5/8	57-3/8	12
FBS 60	54-1/8	58-7/8	12
FBS 61	55-5/8	60-3/8	12
FBS 62	57-1/8	61-7/8	12
FBS 64	58-3/8	64-1/8	13
FBS 67	61-3/8	67-1/8	13
FBS 70	64-3/8	70-1/8	13
FBS 73	67-3/8	73-1/8	13
* Door opens fr	om one side de	termined during	g installation.

Door opens from one side determined during installation.

All measurements are made in inches.

Door heights are made at every full inch from 62"-71".

To estimate walk through opening width, subtract width of collapsed door and frame from your opening width.

Other custom sizing options available. Please call for pricing.

Custom built to fit

your shower




## REPLACEMENT PARTS

### CUSTOMIZABLE FEATURES


### Finish Options

Our frames are available in three finish options to match the decor of any bathroom. Available in Bright, Satin, or powder coated finishes, our frames adjust to any style.\*




\*Available at an extra charge. For a complete list of powder coated frame color options please visit prismaticpowders.com

Screw Cover Plates Screw cover plates offer a more finished look to the inner frame of the door.





MagnaFold Single Roller, Spring, Clip SingleR



MagnaFold 9" Soft Panel SP9 Cut to specified length



MagnaFold 12"Soft Panel SP12 Cut to specified length



MagnaFold Handle Latch for 2 Panel Door PRT54-2



MagnaFold Double Roller, Spring, Clip DoubleR



MagnaFold Handle Latch for 3 Panel Door PRT54-3



MagnaFold Handle Latch for 4 Panel Door PRT54-4



MagnaFold Handle Latch for 5 Panel Door PRT54-5



Water Dam Vinyl Strip PRT31 Cut to specified length



MagnaFold Handle Set, Inner, Outer, Screws PRT53



MagnaFold ELITE 9" Panel HP9 Cut to specified length



MagnaFold ELITE 10.5" Panel HP10.5 Cut to specified length



# BARRIER FREE SHOWER WATER DAM

Our Barrier Free Shower Water Dam is the best of its kind. Made with a high quality and durable aluminum rail in combination with a flexible and durable vinyl blade, the Water Dam provides an elegant and highly functional alternative to other Barrier Free options.


Our Water Dams are used in both residential and commercial applications including hotels, schools, hospitals and assisted living facilities.



The Barrier Free Shower Water Dam can be cut and mitered as shown to be functional for corner style showers as well



The vinyl blade is durable, yet flexible enough to allow an object to roll over easily while still keeping the water inside the shower area.



Here is a diagram of the specifications of the Barrier Free Shower Water Dam as seen from the cut side to be used as verification for ADA accessibility. Measurements are made in inches.

FEATURES

Allows wheelchairs and rolling shower chairs easy access to shower area

Durable, flexible and soft poly-vinyl chloride water dam insert

Highly polished and anodized heavy-duty aluminum base is extremely durable

Easily cleaned with vinyl-safe cleaners

Easily installed with high quality silicone caulk

Most effective with the use of a weighted shower curtain or our Barrier Free Shower Door

Compliant with ADA Section 608.7 and 303 (height requirement) (Rev. 9.15.2010)

Can be cut/mitered to accomodate showers with two-sided openings

Can be cut to fit your shower

Replacement vinyl blades available

Only available in Bright finish

If flooring or shower area is uneven, one or two screws may be used in addition to caulking to help secure the Water Dam. If screws are used. be sure to pre-drill holes in the center width of the aluminum base.

The high polished aluminum base of the Water Dam is exceptionally durable, but should be cleaned regularly to extend the lifetime of the product. We recommend cleaning once a month or more with natural, vinyl-safe cleaners.

The Water Dam comes in 3 lengths which can be easily measured and cut to fit your shower.

Part Number	Length
PRT35-3	3 ft (35-15/16")
PRT35-5	5 ft (60")
PRT35-6	6ft (72")

